

Breath test could help detect stomach and oesophageal cancers

January 30 2017

A test that measures the levels of five chemicals in the breath has shown promising results for the detection of cancers of the oesophagus and stomach in a large patient trial presented at the European Cancer Congress 2017.

Together, stomach and oesophageal [cancer](#) account for around 1.4 million new cancer diagnoses each year worldwide. Both tend to be diagnosed late, because the symptoms are ambiguous, meaning the five-year survival rate for these two types of cancer is only 15%.

The new research, involving more than 300 patients, showed that the [test](#) could diagnose cancer with an overall accuracy of 85%.

Dr Sheraz Markar, an NIHR Clinical Trials Fellow from Imperial College London, under the supervision of Professor George Hanna, told the Congress: "At present the only way to diagnose oesophageal cancer or [stomach cancer](#) is with endoscopy. This method is expensive, invasive and has some risk of complications.

"A breath test could be used as a non-invasive, first-line test to reduce the number of unnecessary endoscopies. In the longer term this could also mean earlier diagnosis and treatment, and better survival."

The trial was based on the results of previous research that suggested differences in the levels of specific chemicals (butyric, pentanoic and hexanoic acids, butanal, and decanal) between patients with stomach or

oesophageal cancer and patients with upper gastrointestinal symptoms without cancer. The new research aimed to test whether this 'chemical signature' that seemed to typify cancer could be the basis of a diagnostic test.

In the new study, the research team collected breath samples from 335 people at St Mary's Hospital, Imperial College Healthcare NHS Trust; University College London Hospital; and the Royal Marsden Hospital, London. Of these, 163 had been diagnosed with stomach or [oesophageal cancer](#) and 172 showed no evidence of cancer when they had an endoscopy.

All the samples were analysed with a technique called selected ion flow-tube mass spectrometry, which is able to accurately measure small amounts of different chemicals in mixtures of gases such as breath.

Researchers measured the levels of the five chemicals in each sample to see which ones matched to the 'chemical signature' that indicated cancer.

The results showed that the test was 85% accurate overall, with a sensitivity of 80% and a specificity of 81%. This means that not only was the breath test good at picking up those who had cancer (sensitivity), it was also good at correctly identifying who did not have cancer (specificity).

Dr Markar said: "Because cancer cells are different to healthy ones, they produce a different mixture of chemicals. This study suggests that we may be able detect these differences and use a [breath test](#) to indicate which patients are likely to have cancer of the oesophagus and stomach, and which do not. However, these findings must be validated in a larger sample of patients before the test could be used in the clinic."

Over the next three years, the researchers will continue with a larger

trial, using the test with patients who are being given an endoscopy for [gastrointestinal symptoms](#) but not yet diagnosed with cancer. This will assess the ability of the test to pick up cases within a group that is likely to contain only a small percentage of cancers.

The team is also working on breath tests for other types of cancer, such as colorectal and pancreatic, which could be used as first-line tests in general practice surgeries.

More information: Abstract no: 6 LBA Proffered Papers:
Gastrointestinal Malignancies—Upper GI, 09.00 - 10.25 hrs (CET)
Monday 30 January 2017, Room Varmus.

Provided by ECCO-the European CanCer Organisation

Citation: Breath test could help detect stomach and oesophageal cancers (2017, January 30)
retrieved 20 April 2024 from
<https://medicalxpress.com/news/2017-01-stomach-oesophageal-cancers.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--