


Low birth weight babies at higher risk for mental health problems later in life

February 13 2017



Credit: CC0 Public Domain

Babies born with extremely low birth weight are not only at risk for physical problems but are also more likely to experience mental health problems later in life, according to an analysis of research conducted



over nearly 30 years.

"Our findings provide evidence that individuals born at extremely low birth weight are at higher overall risk for psychological difficulties than their normal birth weight peers. These difficulties most frequently involve attention, anxiety-related and social problems," said lead author Karen Mathewson, PhD, McMaster University. The study appears in the journal *Psychological Bulletin*, which is published by the American Psychological Association.

Preterm births have increased dramatically over the last two decades and now make up about 8 percent of infants born in the United States and Canada. Because of improvements in recent decades in neonatal intensive care, babies who are born at extremely low birth weight (less than 1,000 grams or just over 2 pounds) have a greater chance of surviving than ever before.

Mathewson and her colleagues conducted meta-analyses using 41 studies that followed 2,712 individuals who were extremely low birth weight babies and 11,127 who were normal birth weight babies. The studies took place over a 26-year period (1990-2016) in 12 different countries, including the United States and Canada.

Extremely low birth weight babies were found to be at increased risk for particular <u>mental health problems</u>, beginning in childhood and extending at least into their 30s. As children, they were significantly more likely to have attention deficit hyperactivity disorder in almost every study included in the review. Adolescents were also at greater risk for ADHD and social problems. Adults born with extremely low birth weight reported significantly higher levels of anxiety, depression and shyness, as well as significantly lower levels of social functioning.

These risks did not seem to vary according to where or when extremely



low birth weight survivors were born, or whether they had significant neurosensory impairments, such as cerebral palsy or blindness. All of the studies were from developed countries from North America, Europe or Australia.

Mathewson believes these findings may stem from biological responses of the infant to difficult prenatal conditions and postnatal stresses following early birth.

"The consistency of the findings across geographical regions suggests that these attentional, behavioral and social outcomes may be contributed to by developmentally programmed, biological factors," she said.

Even though the risk for mental <u>health problems</u> in extremely low birth weight survivors is increased compared to normal birth weight individuals, many will not develop mental disorders at all, Mathewson noted. But the effect sizes for ADHD, <u>social problems</u> and internalizing disorders were moderate-to-large in extremely low birth weight children, and remained moderate in extremely low birth weight adolescents. (A moderate effect is generally apparent to an unaided, careful observer). Moderate effects of birth weight status suggest that group differences in the risk for these mental health problems can be significant.

The findings point to the need to continue to provide services to these individuals throughout their lives, according to Mathewson. "It is important that families and health care providers be aware of the potential for early-emerging <u>mental health</u> problems in extremely <u>low</u> <u>birth weight</u> survivors, and that some of these individuals may not grow out of these problems as they get older," she said. "As a result, it is essential that appropriate treatment be made available to those who require it as early in life as possible."

More information: "Mental Health of Extremely Low Birth Weight



Survivors: A Systematic Review and Meta-Analysis," *Psychological Bulletin*, published online Feb. 13, 2017.

Provided by American Psychological Association

Citation: Low birth weight babies at higher risk for mental health problems later in life (2017, February 13) retrieved 20 April 2024 from <u>https://medicalxpress.com/news/2017-02-birth-weight-babies-higher-mental.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.