


Sleep research high-resolution images show how the brain resets during sleep

February 2 2017



Drs. Cirelli, foreground, and Tononi, right, study an image of a mouse brain taken by a scanning electron microscope, left. Thousands of these images were analyzed for the study published this week in the journal *Science*. Credit: John Maniaci/UW Health

Striking electron microscope pictures from inside the brains of mice


suggest what happens in our own brain every day: Our synapses - the junctions between nerve cells - grow strong and large during the stimulation of daytime, then shrink by nearly 20 percent while we sleep, creating room for more growth and learning the next day.

The four-year research project published today in *Science* offers a direct visual proof of the "synaptic homeostasis hypothesis" (SHY) proposed by Drs. Chiara Cirelli and Giulio Tononi of the Wisconsin Center for Sleep and Consciousness.

This hypothesis holds that sleep is the price we pay for brains that are plastic and able to keep learning new things.

When a synapse is repeatedly activated during waking, it grows in strength, and this growth is believed to be important for learning and memory. According to SHY, however, this growth needs to be balanced to avoid the saturation of synapses and the obliteration of neural signaling and memories. Sleep is believed to be the best time for this process of renormalization, since when asleep we pay much less attention to the external world and are free from the "here and now."

When synapses get stronger and more effective they also become bigger, and conversely they shrink when they weaken. Thus, Cirelli and Tononi reasoned that a direct test of SHY was to determine whether the size of synapses changes between sleep and wake. To do so, they used a method with extremely [high spatial resolution](#) called serial scanning 3-D electron microscopy.



This picture shows 3-D reconstructions of electron microscope images of tree branch-like dendrites. At the end of the branches are cup-like structures called the spines, and in the tips of the spines are synapses. By studying thousands of images like these, the Wisconsin researchers showed that the synapses shrink after the mouse sleeps and grow again during the next wakeful period. Credit: Wisconsin Center for Sleep and Consciousness.


The research itself was a massive undertaking, with many research specialists working for four years to photograph, reconstruct, and analyze two areas of cerebral cortex in the mouse brain. They were able to reconstruct 6,920 synapses and measure their size.

The team deliberately did not know whether they were analyzing the brain cells of a well-rested mouse or one that had been awake. When they finally "broke the code" and correlated the measurements with the

amount of sleep the mice had during the six to eight hours before the image was taken, they found that a few hours of sleep led on average to an 18 percent decrease in the size of the synapses. These changes occurred in both areas of the [cerebral cortex](#) and were proportional to the size of the synapses.

The scaling occurred in about 80 percent of the synapses but spared the largest ones, which may be associated with the most stable memory traces.

"This shows, in unequivocal ultrastructural terms, that the balance of synaptic size and strength is upset by wake and restored by sleep," Cirelli says. "It is remarkable that the vast majority of synapses in the cortex undergo such a large change in size over just a few hours of wake and sleep."



Electron microscopy image of mouse cortex, showing a passing dendrite (d), and some spines with synapses (asterisks). Credit: Wisconsin Center for Sleep and Consciousness

Tononi adds, "Extrapolating from mice to humans, our findings mean that every night trillions of synapses in our cortex could get slimmer by nearly 20 percent."

The study was published today in *Science* along with research from Dr. Richard Huganir's laboratory at Johns Hopkins University in Baltimore. This study, using biochemical and molecular methods, confirms SHY's prediction that [synapses](#) undergo a process of scaling down during [sleep](#), and identifies genes important for this process.

More information: "Ultrastructural evidence for synaptic scaling across the wake/sleep cycle," *Science*, [science.sciencemag.org/cgi/doi ... 1126/science.aah5982](https://science.sciencemag.org/cgi/doi/10.1126/science.aah5982)

Provided by University of Wisconsin-Madison

Citation: Sleep research high-resolution images show how the brain resets during sleep (2017, February 2) retrieved 3 May 2024 from <https://medicalxpress.com/news/2017-02-high-resolution-images-brain-resets.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--