

Immunotherapy better than cryotherapy for wart lesions

February 3 2017



(HealthDay)—Intralesional immunotherapy is more effective than

cryotherapy for treatment of wart lesions, according to a study published online Jan. 21 in the *International Journal of Dermatology*.

Fahime Khozeimeh, M.D., from the Mashhad University of Medical Sciences in Iran, and colleagues compared the efficacy of immunotherapy and cryotherapy on wart lesions among 60 patients with verruca vulgaris and [plantar warts](#). The patients were randomly divided into two groups: One received intralesional injection of candida antigen repeated every three weeks until complete improvement or a maximum of three sessions, and the other group received cryotherapy with liquid nitrogen for a maximum of 10 sessions or until lesion clearance.

The researchers found that the patients exhibited a significant therapeutic response to immunotherapy versus cryotherapy ($P = 0.023$). For both groups there was a significant difference between the time-elapsed before [treatment](#) and the therapeutic response ($P = 0.041$). Overall, 76.7 and 56.7 percent of [patients](#) were completely cured by immunotherapy and responded to cryotherapy, respectively. Compared with cryotherapy, complete remission was observed with fewer immunotherapy sessions (2.17 ± 0.65 versus 3.82 ± 2.481), but there was no statistically [significant difference](#) between the groups ($P = 0.051$). Immunotherapy was well tolerated, apart from the most common side effect of pain during injection.

"Intralesional immunotherapy is an effective treatment of [warts](#)," the authors write. "This method has a better therapeutic response, needs fewer sessions, and is capable of treating distant warts."

More information: [Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Immunotherapy better than cryotherapy for wart lesions (2017, February 3) retrieved 4 May 2024 from <https://medicalxpress.com/news/2017-02-immunotherapy-cryotherapy-wart-lesions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.