

Spider expert outlines expressions of skin conditions often misdiagnosed as brown recluse bites

February 15 2017



A UC Riverside researcher has published a paper about skin conditions that are often misdiagnosed as brown recluse spider bites. Credit: Rick Vetter.

Many skin conditions are misdiagnosed by doctors as brown recluse

spider bites. This can lead to tragedy because about 40 medical conditions, including several deadly bacterial infections, can be confused with brown recluse bites.

Rick Vetter, a retired University of California, Riverside entomologist, along with lead author Dr. W. Van Stoecker and Dr. Jonathan Dyer, both dermatologists in Missouri who specialize in treating brown recluse bites, have co-authored a just-published paper in *JAMA Dermatology* that describes expressions of skin conditions that are often misdiagnosed as bites from this spider.

"People always tell you what a brown recluse bite looks like, so what I started emphasizing is, 'This is what a brown recluse bite doesn't look like,'" Vetter said. "That message really has the potential to save lives."

In the *JAMA Dermatology* paper, Vetter and the dermatologists from the University of Missouri Health Sciences Center introduce a mnemonic device - NOT RECLUSE - that they created to describe the most common skin signs that are misdiagnosed as brown recluse bite.

For example, the REC of NOT RECLUSE indicates Red, Elevated and Chronic. Recluse bites are whitish blue or purple (not red), flat (not elevated) and don't last more than 3 months. So, if a patient has a wound that is elevated or red or persists more than 3 months, something other than brown recluse bite should be considered.

The authors also offer alternate diagnoses that are more likely for many of the acronym categories. For example, under the Red category, the authors suggest that a red lesion would indicate a bite or sting by another insect/spider or might be a bacterial infection caused by streptococcus or anthrax.

Brown recluse spiders are no longer than a half-inch in body length and

have a dark brown violin shape on their body, Vetter said. They are venomous, but about 90 percent of bites self-heal, about 10 percent result in a rotting flesh lesion, and less than 1 percent cause a systematic reaction that can be fatal, Vetter said.

Vetter developed an interest in spiders as an undergraduate student in the late 1970s and earned his master's degree studying spiders. But, it wasn't until 1992, when he was working as a research associate in an entomology lab at UC Riverside, that he started to focus on the brown recluse.

Since then, in his spare time - evenings, lunch hours, weekends - Vetter became a [brown recluse spider](#) expert. He has published on the brown recluse more than anyone in the world.

"That one case triggered my whole career," said Vetter, who retired from UC Riverside in 2012. "And it has mostly been a case of dispelling myths."

He added: "As a scientist you're looking for the best information. But, there was nobody working on brown recluses. I just thought there was so much nonsense out there."

Vetter has more than 140 publications in scientific and medical journals, including more than 100 about spiders with more than half of those about brown recluse spiders. He is also the author of "[The Brown Recluse Spider](#)," the only book dedicated to this species written for adults.

His business card has a picture of a brown recluse on it. He has named two spider species. Two spiders and a non-spider arachnid have been named after him. But, no, he has not been bitten by a brown recluse.

One of his most significant contributions was spending years creating [a map](#) that shows the geographic distribution of brown recluse spiders. They are found in about 20 states, with the highest concentration around Kansas, Oklahoma, and Missouri. The map is on the web site he created, spiders.ucr.edu, which draws about one million visits a year.

The *JAMA Dermatology* paper was the culmination of years of collaboration between Stoecker and Dyer, who developed a swab test for detecting recluse venom in bites, and Vetter, who has been documenting misdiagnosed conditions. It encapsulate 25 years of Vetter's work as well as his colleagues' 50 combined years of treating brown recluse bites in Missouri.

"I'm really on a crusade here," Vetter said. "We have this knowledge that is counter to what many doctors and the general public are saying. And what they are saying is causing damage by misdiagnosis."

More information: *JAMA Dermatology*, [DOI: 10.1001/jamadermatol.2016.5665](https://doi.org/10.1001/jamadermatol.2016.5665)

Provided by University of California - Riverside

Citation: Spider expert outlines expressions of skin conditions often misdiagnosed as brown recluse bites (2017, February 15) retrieved 19 April 2024 from <https://medicalxpress.com/news/2017-02-spider-expert-outlines-skin-conditions.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--