

Who gets sunburned? Survey finds risk is greater for young adults with melanin-rich skin

February 27 2017



Human skin structure. Credit: Wikipedia

Results from a study published in *The Journal of the American Osteopathic Association* point to an urgent need for sunburn prevention among young adults, particularly those who have skin with higher melanin content. Researchers found a surprising correlation between



reporting a red or painful sunburn lasting a day or more with being 18 to 29 years of age and not self-identifying as white.

Skin cancer is the most common cancer in the U.S., with five million people receiving treatment each year. The study's lead researcher, Tracy Favreau, DO, added that melanoma is the most prevalent type of cancer for people 25 to 29 years old and second most prevalent type of cancer for people 15 to 29 years old. Of the three types of <u>skin</u> cancers, melanoma accounts for only two percent of occurrences but nearly half of <u>skin cancer</u>-related healthcare costs. It is also the deadliest of the three, as it has the highest rate of metastasis.

"Osteopathic medicine is largely focused on prevention, and melanoma, the skin cancer caused by sun exposure, is imminently preventable," said Dr. Favreau, an osteopathic dermatologist in Florida, where the survey was conducted. "The concern here is that participants with high melanin content skin may think they're naturally protected from sunburn, which isn't true. We need to develop tailored sunburn prevention programs to change attitudes and reduce the risk of melanoma."

Dr. Favreau and the co-authors suspect the combination of youth and having melanin-rich skin provides a false sense of invincibility or resiliency to sunburn.

Some of the survey's predictors of sunburn seem obvious, like spending time outside during peak daylight hours or having a negative attitude toward sun protection. Others were less intuitive; for example, having a full-body skin exam or a perceived vulnerability to skin cancer.

The study explains that a timeline was not established for survey participants. It could be that those who had serious sunburn were then more likely to get a full-body skin exam and feel more vulnerable to skin cancer.



Osteopathic medical student and lead author Sergey Arutyunyan, MS, said that the whole-person approach to patient care, a primary tenant of <u>osteopathic medicine</u>, led him to think about how to better disseminate information about the risks of sun-exposure and skin cancer.

"Technology presents effective opportunities to reach people where they are, in ways that will resonate with them personally," he said, referencing location-based apps that send reminders about sun exposure. That existing technology can be triggered by an amalgam of factors, including time of day, specific geographic regions or self-identified skin type.

However, apps don't change attitudes, the most critical component to reducing <u>sunburn</u>.

"To more closely target younger people, we may need an app that gamifies sun protection and rewards taking precautions. Simply warning of the danger is not having an effect."

More information: Predictors of Sunburn Risk Among Florida Residents, <u>DOI: 10.7556/jaoa.2017.029</u>, <u>jaoa.org/article.aspx?articleid=2607291</u>

Provided by American Osteopathic Association

Citation: Who gets sunburned? Survey finds risk is greater for young adults with melanin-rich skin (2017, February 27) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2017-02-sunburned-survey-greater-young-adults.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.