


World-first way to fast-track drugs for killer disease

February 23 2017



Credit: Flinders University

Flinders University researchers are pioneering a new and simple test to

pick up signals of Motor Neuron Disease in patients.

The non-invasive urinary [test](#) has the potential to expedite the worldwide quest to develop better treatments, or even a cure, for the deadly neuro-degenerative [disease](#).

The test, under further development at Flinders University and the University of Miami, is set to be used in clinical trials looking for improved drug treatments for MND.

The test measures a key protein biomarker found in the urine of MND sufferers as the disease progresses. The promising findings have been published in the high-profile international journal, *Neurology*, the medical journal of the American Academy of Neurology.

Currently there are no validated pharmaco-dynamic biomarkers for MND or Amyotrophic Lateral Sclerosis (ALS), also known as Lou Gehrig's Disease.

Regular accurate and affordable testing of symptoms could lead to improved treatment and better interventions, says Flinders University Centre for Neuroscience senior research fellow Dr Mary-Louise Rogers.

"A standardised, easy-to-collect urine test could be used as a more accurate progression and prognostic biomarker in clinical trials," Dr Rogers says.

"This will accelerate progress towards more rapid identification of improved treatments for MND and save time and money by faster exclusion of less effective or ineffective drugs.

"And in the future, it also could potentially be used to test people for early signs of pre-familial MND progression and used instead of patient

questionnaires for regular testing of disease progress or drug suitability in existing MND cases."

The urinary protein 75^{ECD} is currently the only biological-fluid-based biomarker of disease progression.

There is no cure for MND (or ALS) which causes the motor neurons or nerve cells that control muscle movements to slowly die.

Every day two Australians are diagnosed with MND and two people die, with almost 1,500 sufferers adding more than \$1.9 billion to the nation's healthcare costs a year (Deloitte Access Economics, 2016).

The comparative study of the testing system on MND and non-MND patients in SA over the past six years was conducted by Flinders University Centre for Neuroscience researcher Stephanie Shephard and her supervisor Dr Mary-Louise Rogers.

More information: Stephanie R. Shephard et al. Urinary p75^{ECD}, *Neurology* (2017). [DOI: 10.1212/WNL.0000000000003741](https://doi.org/10.1212/WNL.0000000000003741)

Provided by Flinders University

Citation: World-first way to fast-track drugs for killer disease (2017, February 23) retrieved 2 April 2024 from <https://medicalxpress.com/news/2017-02-world-first-fast-track-drugs-killer-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.