

# Focusing on mechanics may be key in unlocking the heart's ability to heal itself

March 30 2017, by Ryan O'hare

---



Credit: Imperial College London

Fish do it, amphibians do it, so why can't we? Scientists are questioning why human hearts lose the ability to regenerate, while other animals don't.

In a perspective piece, published in *Science Translational Medicine*, researchers from Imperial College London suggest that the loss of this ability may be down to the way the human [heart](#) develops.

They explain that mechanical and structural changes which occur in a baby's heart after birth may keep it 'locked' in a mature state. Humans have the ability to regenerate tissue in the womb, but some other animals retain this ability after birth to regrow lost limbs, tails and even parts of their heart.

According to the authors, if we could roll back some of the mechanical changes that occur in the [human heart](#) soon after birth, we might be able to unlock its regenerative capacity and find better ways to treat cardiac conditions and heal damaged tissue.

While a great deal of work has focused on stem cells as the key factor in regenerating the heart, scientists have had limited success. The key to unlocking the heart's healing ability may lie instead in the interplay between its biology and its physical structure, say the researchers.

"Right now, this is a relatively unexplored area," said Professor Nadia Rosenthal from the National Heart and Lung Institute (NHLI) at Imperial College. "The focus has mainly been on cell biology and molecular signalling, rather than the profound relationship between those features and the mechanics of the heart."

In their review, Professor Rosenthal, who is also scientific director of The Jackson Laboratory in Bar Harbor, Maine, and fellow Imperial NHLI researcher Dr Teresa Kennedy-Lydon, focused on the changes which occur in the hearts of newborn babies and mice, a critical period in which this [regenerative capacity](#) starts to wane.

## **Maturing heart**

In the womb, babies are dependent on their mother's blood supply to bring oxygen to their developing tissues. The tiny beating heart contains a number of 'shunts', strategic openings that keep the blood flowing and bypass the fluid-filled lungs.

However, once the baby is born and starts to breathe, the heart undergoes remodelling. As oxygen-rich blood flows from the lungs, the pressure in the heart increases and the shunts close and begin to fuse shut. In mice, the same process completes around seven days after birth, providing a good model for study.

The researchers believe physical and metabolic changes linked with this hike in blood pressure, such as the strengthening of the heart walls and stiffening of the crisscrossing connective lattice which holds the cells together, are key steps in the heart maturing. They think that the time when these changes occur is the point at which the ability to fully regenerate tapers off.

In the review, the researchers cite previous studies that found reducing the workload on the heart – using an external pump to help pump the blood around the body – can go some way to reversing damage to the heart muscle after a heart attack.

The researchers believe that combining this type of 'mechanical unloading' with other approaches, such as using drugs to alter the lattice holding the cells in place, altering metabolic pathways, and using cell therapies, could be the key to kick-starting the heart's regenerative ability.

"It may well be that modulating these inbuilt features could produce the right environment for repair – such as introducing stem cells and grafting them into the heart, or stimulating the existing [cells](#) to regenerate – making these therapies more effective," said Professor Rosenthal. "All

therapies are based on trial and error, but the more we know, the less error we'll have."

Dr Kennedy-Lydon added: "We're trying to expand the considerations of people working in this field of research rather than just relying on finding a specific type of stem cell to fix things. We are not trying to get everyone to shift direction and start working on mechanical unloading of the heart, but we would like them to be aware that mechanical load is probably going to play a role at some point in the repair process."

**More information:** Teresa Kennedy-Lydon et al. Cardiac regeneration: All work and no repair?, *Science Translational Medicine* (2017). [DOI: 10.1126/scitranslmed.aad9019](https://doi.org/10.1126/scitranslmed.aad9019)

Provided by Imperial College London

Citation: Focusing on mechanics may be key in unlocking the heart's ability to heal itself (2017, March 30) retrieved 11 May 2024 from <https://medicalxpress.com/news/2017-03-focusing-mechanics-key-heart-ability.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.