

Nursing discharge plan promotes therapeutic adherence

March 16 2017



(HealthDay)—A nursing discharge plan is effective for promoting

therapeutic adherence for patients discharged from the psychiatric intensive care unit, according to a study published online Feb. 23 in the *Journal of Clinical Nursing*.

Michele Virgolesi, R.N., from Santa Maria delle Grazie Hospital in Naples, Italy, and colleagues examined the extent to which a nursing discharge plan could promote therapeutic adherence among [patients](#) in the psychiatric [intensive care unit](#) in a prospective correlational study. Data were included for 135 patients.

The researchers found that adherence to treatment was higher for patients who received more information on their health status and on what would be done for them after hospitalization. The rate of adherence to treatment plan was higher for patients who were more satisfied with the nursing care provided.

"The interpersonal and educational nursing intervention improves adherence to a treatment plan by allowing patients to express themselves not only as individuals who rely on health care but also as protagonists able to effectively manage their disease and to empower themselves by acquiring disease management skills," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Nursing discharge plan promotes therapeutic adherence (2017, March 16) retrieved 8 May 2024 from <https://medicalxpress.com/news/2017-03-nursing-discharge-therapeutic-adherence.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.