

Protein could prevent brain damage caused by stroke

March 20 2017



A blood clot forming in the carotid artery. Credit: American Heart Association

A small protein that could protect the brain from stroke-induced injury has been discovered by researchers from The University of Queensland and Monash University.

UQ Institute for Molecular Bioscience researcher Professor Glenn King, who led the research, said the small protein showed great promise as a future [stroke](#) treatment.

"We believe that we have, for the first time, found a way to minimise the effects of [brain damage](#) after a stroke," Professor King said.

"The small protein we discovered, Hi1a, blocks acid-sensing ion channels in the brain, which are key drivers of brain damage after stroke.

"During preclinical studies, we found that a single dose of Hi1a administered up to eight hours after stroke protected brain tissue and drastically improved neurological performance.

"This world-first discovery will help us provide better outcomes for [stroke survivors](#) by limiting the brain damage and disability caused by this devastating injury."

Stroke claims six million lives worldwide each year, and five million survivors are left with a permanent disability.

Professor King said he hoped this discovery could radically improve outcomes for [stroke patients](#).

"One of the most exciting things about Hi1a is that it provides exceptional levels of protection for eight hours after stroke onset, which is a remarkably long window of opportunity for treatment," he said.

"Hi1a even provides some protection to the core [brain](#) region most affected by oxygen deprivation, which is generally considered unrecoverable due to the rapid cell death caused by stroke.

"We are now working to secure financial support to fast-track this promising stroke therapy towards clinical trials."

This research was published overnight in *Proceedings of the National Academy of Sciences*.

It involved scientists from UQ's Institute for Molecular Bioscience, School of Biomedical Sciences, Queensland Brain Institute, and Centre for Advanced Imaging; and Monash University's Biomedical Discovery Institute and Department of Pharmacology.

More information: Potent neuroprotection after stroke afforded by a double-knot spider-venom peptide that inhibits acid-sensing ion channel 1a, *PNAS*, www.pnas.org/cgi/doi/10.1073/pnas.1614728114

Provided by University of Queensland

Citation: Protein could prevent brain damage caused by stroke (2017, March 20) retrieved 7 May 2024 from <https://medicalxpress.com/news/2017-03-protein-brain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--