

New study identifies successful method to reduce dental implant failure

March 24 2017



New nanocoating shows promise in dental implant protection. Credit: University of Plymouth

According to the American Academy of Implant Dentistry (AAID), 15 million Americans have crown or bridge replacements and three million

have dental implants—with this latter number rising by 500,000 a year. The AAID estimates that the value of the American and European market for dental implants will rise to \$4.2 billion by 2022.

Dental implants are a successful form of treatment for patients, yet according to a study published in 2005, five to 10 per cent of all dental implants fail.

The reasons for this failure are several-fold - mechanical problems, poor connection to the bones in which they are implanted, infection or rejection. When failure occurs the dental [implant](#) must be removed.

The main reason for dental implant failure is peri-implantitis. This is the destructive inflammatory process affecting the soft and hard tissues surrounding dental implants. This occurs when pathogenic microbes in the mouth and oral cavity develop into biofilms, which protects them and encourages growth. Peri-implantitis is caused when the biofilms develop on dental implants.

A research team comprising scientists from the School of Biological Sciences, Peninsula Schools of Medicine and Dentistry and the School of Engineering at the University of Plymouth, have joined forces to develop and evaluate the effectiveness of a new nanocoating for dental implants to reduce the risk of peri-implantitis.

The results of their work are published in the journal *Nanotoxicology*.

In the study, the research team created a new approach using a combination of silver, titanium oxide and hydroxyapatite nanocoatings.

The application of the combination to the surface of titanium alloy implants successfully inhibited bacterial growth and reduced the formation of bacterial biofilm on the surface of the implants by 97.5 per

cent.

Not only did the combination result in the effective eradication of infection, it created a surface with anti-biofilm properties which supported successful integration into surrounding bone and accelerated bone healing.

Professor Christopher Tredwin, Head of Plymouth University Peninsula School of Dentistry, commented: "In this cross-Faculty study we have identified the means to protect dental implants against the most common cause of their failure. The potential of our work for increased patient comfort and satisfaction, and reduced costs, is great and we look forward to translating our findings into clinical practice."

The University of Plymouth was the first university in the UK to secure Research Council Funding in Nanoscience and this project is the latest in a long line of projects investigating nanotechnology and [human health](#).

Nanoscience activity at the University of Plymouth is led by Professor Richard Handy, who has represented the UK on matters relating to the Environmental Safety and Human Health of Nanomaterials at the Organisation for Economic Cooperation and Development (OECD). He commented: "As yet there are no nano-specific guidelines in dental or medical implant legislation and we are, with colleagues elsewhere, guiding the way in this area. The EU recognises that medical devices and implants must: perform as expected for its intended use, and be better than similar items in the market; be safe for the intended use or safer than an existing item, and; be biocompatible or have negligible toxicity."

He added: "Our work has been about proving these criteria which we have done in vitro. The next step would be to demonstrate the effectiveness of our discovery, perhaps with animal models and then human volunteers."

Dr Alexandros Besinis Lecturer in Mechanical Engineering at the School of Engineering, University of Plymouth, led the research team. He commented: "Current strategies to render the surface of [dental implants](#) antibacterial with the aim to prevent infection and peri-implantitis development, include application of antimicrobial coatings loaded with antibiotics or chlorhexidine. However, such approaches are usually effective only in the short-term, and the use of chlorhexidine has also been reported to be toxic to human cells. The significance of our new study is that we have successfully applied a dual-layered silver-hydroxyapatite nanocoating to titanium alloy medical implants which helps to overcome these risks."

More information: A. Besinis et al, Antibacterial activity and biofilm inhibition by surface modified titanium alloy medical implants following application of silver, titanium dioxide and hydroxyapatite nanocoatings, *Nanotoxicology* (2017). DOI: [10.1080/17435390.2017.1299890](https://doi.org/10.1080/17435390.2017.1299890)

Provided by University of Plymouth

Citation: New study identifies successful method to reduce dental implant failure (2017, March 24) retrieved 20 March 2024 from <https://medicalxpress.com/news/2017-03-successful-method-dental-implant-failure.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--