

Brain's navigation more complex than previously thought

April 7 2017, by Nathan Collins



Graduate students, from left, Kiah Hardcastle and Niru Maheswaranathan, worked with professors Lisa Giocomo and Surya Ganguli on a study of the brain's navigational neurons. Credit: L.A. Cicero/Stanford News Service

Neuroscientists' discovery of grid cells, popularly known as the brain's

GPS, was hailed as a major discovery. But new Stanford research suggest the system is more complicated than anyone had guessed.

Just like a driver in a car, the brain needs some basic navigational instruments to get around, and it is not an idle analogy. In fact, scientists have found [brain cells](#) that are similar to speedometers, compasses, GPS and even collision warning systems.

That simple analogy, however, may belie the more complex way our brains actually map out the world, Stanford researchers report April 6 in *Neuron*. While some of the neurons in our internal navigation systems look a lot like speedometers or compasses, many others operate flexibly, each one encoding a dynamic mix of navigational variables, like a compass that somehow transforms into a GPS when driving downtown.

It's a discovery that could change the way we think about navigation in the brain, said Lisa Giocomo, PhD, assistant professor of neurobiology in the School of Medicine and member of Stanford Bio-X and the Stanford Neurosciences Institute. In fact, it might even challenge one of our most basic assumptions about how neurons work.

Beginning at the boundary

The project began in 2014 when Giocomo and Surya Ganguli, PhD, assistant professor of applied physics, got a Bio-X seed grant to take a closer look at how the brain finds its way around. It was the same year a Nobel Prize was awarded for the discovery of [grid cells](#), specialized neurons that help animals keep track of where they are in their environments. At the time, they were hailed as the brain's GPS.

But something was off: while some neurons fell within the ballpark of how a grid cell was supposed to behave, most provided only noisy, error-prone navigation, like a GPS on the fritz. That led Ganguli, Giocomo

and graduate student Kiah Hardcastle to wonder whether the brain had a way to correct those errors.

As it turns out, the brain does have a way: boundary cells, so named because they fire when nearing walls and other landmarks. By tracking neuron firing in mice as they walked around a square box, Hardcastle, Ganguli and Giocomo found that boundary cells help reset wayward grid cells, much like stumbling on a familiar spot helps reorient someone who had been hopelessly lost.

That finding, published in 2015, was significant in its own right—until then, no one understood how grid cells could track position error-free over long distances. But something more surprising was in store.

A left turn

At first, the group—now including graduate student Niru Maheswaranathan—just wanted to see what else boundary cells might be up to, Hardcastle said. But as they looked around at more navigational neurons, the team found that only a few fit into any predefined category.

"There were all these cell types that didn't have a name," Hardcastle said. "They weren't grid or border, head direction or speed cells, which are the four main types. This started as an extension of previous work, but then it really took a left turn."

Most of the neurons they came across encoded a mix of navigational variables. For example, most [neurons](#) that appeared to be grid cells or head-direction cells also tracked speed. Speed cells, meanwhile, were tuned in strange ways. For example, one might fire when a mouse moved either quickly or slowly, but not at intermediate speeds.

And above all, it was hard to identify any particular set of neuron types,

let alone a set that looked like standard navigational instruments. Instead, each neuron seemed to respond a little differently from each other.

"We didn't see [grid cells](#) or speed cells or [head direction cells](#)," said Ganguli. "We saw this big continuum."

How the brain thinks

Giocomo said one of the take-home messages of this work is that there isn't a good mathematical model for the brain's navigation system. Existing models make assumptions that simply are not compatible with their results. "We need to rethink basically what the mechanism is," she said.

There's a broader issue, too, Ganguli said: the cells of the brain do not necessarily think the way we think, in which case it could be misguided to assume the brain navigates using the same tools—speedometers, compasses, and so forth—as we would.

"The variables that the brain cares about may not be the same as the variables that the mind cares about. There may be a discrepancy between those. And if there is, then we somehow have to break free of the prejudices of our mind in order to understand the [brain](#)," Ganguli said.

More information: Kiah Hardcastle et al. A Multiplexed, Heterogeneous, and Adaptive Code for Navigation in Medial Entorhinal Cortex, *Neuron* (2017). [DOI: 10.1016/j.neuron.2017.03.025](https://doi.org/10.1016/j.neuron.2017.03.025)

Provided by Stanford University Medical Center

Citation: Brain's navigation more complex than previously thought (2017, April 7) retrieved 5 May 2024 from <https://medicalxpress.com/news/2017-04-brain-complex-previously-thought.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.