

## Gene may hold key to hearing recovery

## April 24 2017



Credit: CC0 Public Domain

Researchers have discovered that a protein implicated in human longevity may also play a role in restoring hearing after noise exposure. The findings, where were published in the journal *Scientific Reports*, could one day provide researchers with new tools to prevent hearing loss.

The study reveals that a gene called Forkhead Box O3 (Foxo3) appears to play a role in protecting outer hair cells in the inner ear from damage.



The outer hair cells act as a biological sound amplifier and are critical to hearing. When exposed to loud noises, these cells undergo stress. In some individuals, these cells are able to recover, but in others the outer hair cells die, permanently impairing hearing. While hearing aids and other treatments can help recovered some range of hearing, there is currently no biological cure for <u>hearing loss</u>.

"While more than a hundred genes have been identified as being involved in childhood hearing loss, little is known about the genes that regulate hearing recovery after <u>noise exposure</u>," said Patricia White, Ph.D., a research associate professor in the University of Rochester Medical Center (URMC) Department of Neuroscience and lead author of the study. "Our study shows that Foxo3 could play an important role in determining which individuals might be more susceptible to noiseinduced hearing loss."

Approximately one-third of people who reach retirement age have some degree of hearing loss, primarily due to <u>noise</u> exposure over their lifetimes. The problem is even more acute in the military, with upwards of 60 percent of individuals who have been deployed in forward areas experiencing hearing loss, making it the most common disability for combat veterans.

Foxo3 is known to play an important role in cell's stress response. For example, in the cardiovascular system, Foxo3 helps heart cells stay healthy by clearing away debris when the cells are damaged. Additionally, people with a genetic mutation that confers higher levels of Foxo3 protein have been shown to live longer.

White and her team carried out a series of experiments involving knockout mice who were genetically engineered to lack the Foxo3 gene. The researchers found that, compared to <u>normal mice</u>, these animals were unable to recover <u>hearing</u> after being exposed to loud noises. The team



also observed that during the experiment the Foxo3 knock-out mice lost most of their outer hair <u>cells</u>. In the normal mice, outer hair cell loss was not significant.

"Discovering that Foxo3 was important for the survival of <u>outer hair</u> <u>cells</u> is a significant advance," says senior author Patricia White. "We are also excited about the results because Foxo3 is a transcription factor, which regulates the expression of many target <u>genes</u>. We are currently investigating what its targets might be in the inner ear, and how they could act to protect the ear from damage."

**More information:** Felicia Gilels et al, Severe hearing loss and outer hair cell death in homozygous Foxo3 knockout mice after moderate noise exposure, *Scientific Reports* (2017). DOI: 10.1038/s41598-017-01142-3

Provided by University of Rochester Medical Center

Citation: Gene may hold key to hearing recovery (2017, April 24) retrieved 2 May 2024 from <u>https://medicalxpress.com/news/2017-04-gene-key-recovery.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.