

Paper: Nutrition label readers favor food quality over quantity

April 18 2017, by Phil Ciciora



Although nutrition-label users eat roughly the same amount of food as less-discerning diners, the two groups diverge when it comes to the quality of the food they eat, says a new paper co-written by Brenna Ellison, a professor of agriculture and consumer economics at Illinois and an expert in consumer food preferences and behaviors. Credit: L. Brian Stauffer



People who closely eyeball nutrition labels tend to eat differently than less-discerning diners in one key regard, according to research from a University of Illinois expert in food and nutrition policy and consumer food preferences and behaviors.

Although nutrition-<u>label</u> users and non-nutrition-label users eat roughly the same amount of <u>food</u>, the two groups diverge when it comes to the quality of the food they eat, says a new paper co-written by Brenna Ellison, a professor of agriculture and consumer economics at Illinois.

"Research has often concluded that people who use nutrition labels eat better. But we don't necessarily talk about what better means," Ellison said. "Is it eating less food, or is it eating better food? This study looks at people's plates and considers both what they selected to eat and what they actually ate in an effort to determine which difference" - volume or quality - "is occurring."

To examine the relationship between label use and food selection, servings and consumption, Ellison and co-author Mary J. Christoph of the University of Minnesota combined survey and photographic data of the lunch plates of college students at two different university dining halls. Food selection, servings and consumption were assessed using digital photography, a method with strong reliability for validating portion sizes compared with weighing food and visual estimation.

"In terms of measuring and evaluating the plates, we had students who built their own plates because it was a self-serve dining environment," Ellison said. "Diners were only eligible if they were just sitting down to eat. It couldn't be someone who was halfway through their meal, which would misrepresent what they were eating and skew the results."

Based on the meals assessed, the quantity of foods served and consumed were roughly similar between the two groups. There were, however,



distinct differences in the types of foods plated and consumed within MyPlate food categories between those who tended to read nutrition labels and those who didn't, the researchers found.

The results indicate that a greater proportion of nutrition-label users selected more fruits, vegetables and beans, and fewer potatoes and refined grains, compared with non-label users. In addition, fewer label users selected fried foods and foods with added sugars, Ellison said.

"We find that it's more about the types of food rather than the quantity of the food," Ellison said. "The amount of food between label users and non-label users was roughly the same amount. It's the differences in quality that are more prevalent than the sheer amount of food selected."

Using digital photography also provided a more objective assessment of food selection, servings and consumption compared with self-reporting because "you don't have to rely on students remembering how much of each food they ate," Ellison said.

"That's one big advantage to this study. Another one is that diners did not interact with our data collectors until after their plate was built. So our data collection methods shouldn't have affected what they chose. For example, people weren't picking more salad because they knew there was going to be a picture taken of their plate."

Participants were further surveyed on socio-demographic and behavioral variables such as gender, body mass index, exercise frequency and nutrition education to better assess the possible link between label use and food selection, servings and consumption, according to the paper.

Examining <u>nutrition labels</u> is often recommended by doctors and dietitians to improve food choices, but choice does not always translate to consumption. Furthermore, evidence on the effectiveness of labels is



mixed, and few studies can identify how labels actually influence behavior, Ellison said.

"Previous research has focused on portion control for weight loss or weight management, generally eating less. But, more-recent research indicates this may not be the most effective message. By eating less, consumers may feel deprived, or even 'hangry,' which can make it difficult to sustain long-term dietary behaviors," she said. "Newer research indicates that eating less of certain types of foods, rather than all foods, may matter more."

Although the results show label users eat differently than non-users, the implications of the research suggest there may be a need for greater consumption of fruit, vegetables, beans, whole grains and low-fat dairy among both groups.

In addition to posting labels, Ellison said dining facilities may want to increase offerings of nutrient-dense foods (whole grains and vegetables, for example) or consider product reformulations that creatively incorporate these foods to encourage healthy eating behaviors.

But Ellison warned that the study's findings should still be cautiously interpreted, as the conclusions are based on only one meal.

The paper will appear in the *Journal of the Academy of Nutrition and Dietetics*.

Provided by University of Illinois at Urbana-Champaign

Citation: Paper: Nutrition label readers favor food quality over quantity (2017, April 18) retrieved 12 May 2024 from https://medicalxpress.com/news/2017-04-paper-nutrition-readers-favor-food.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.