


## Pre-pregnancy bariatric surgery ups risk of abdominal surgery

April 18 2017



(HealthDay)—Bariatric surgery is associated with an increased risk of



abdominal surgery during subsequent pregnancy, according to a study published in the May issue of *Obstetrics & Gynecology*.

Andrea Stuart, M.D., Ph.D., from Central Hospital in Helsingborg, and Karin Källen, Ph.D., from Lund University—both in Sweden, analyzed data from the Swedish Medical Birth Registry and the Swedish National Patient Registry. The authors sought to compare rates of <u>abdominal</u> surgery during pregnancy among women who had <u>bariatric surgery</u> (1987 to 2011) and women in a control group with first-trimester body mass index ≥35 kg/m² who had not had bariatric surgery.

The researchers found that during the first pregnancy after bariatric surgery, the rate of surgery for <u>intestinal obstruction</u> was 1.5 percent (39 of 2,543) among women in the case group compared with 0.02 percent (four of 21,909) among women in the <u>control group</u> (adjusted odds ratio, 34.3). Similarly, The rate of diagnostic laparoscopy or laparotomy was similarly higher among the case women versus the controls (1.5 versus 0.1 percent; adjusted odds ratio, 11.3).

"Bariatric surgery is associated with an increased risk of abdominal surgery during pregnancy," the authors write. "Although the absolute risk of abdominal surgery is small, it must nevertheless be weighed against the reduction of obesity-related obstetric risk factors after bariatric surgery when advising obese women about family planning."

**More information:** <u>Abstract/Full Text (subscription or payment may be required)</u>

Copyright © 2017 HealthDay. All rights reserved.

Citation: Pre-pregnancy bariatric surgery ups risk of abdominal surgery (2017, April 18) retrieved 25 April 2024 from



https://medicalxpress.com/news/2017-04-pre-pregnancy-bariatric-surgery-ups-abdominal.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.