

Interactive website helps to reduce dizziness

May 8 2017



Credit: CC0 Public Domain

An interactive website developed by health psychology and primary care researchers at the University of Southampton has been shown to reduce dizziness amongst adults aged 50 and above.

Results of a study into the effectiveness of the new Balance Retraining

site show [patients](#) had significantly lower levels of [dizziness](#) symptoms after three and six months than those accessing standard care from their GP. After three months, 40 percent of people using the site reported that they felt 'much better' or 'completely well'—twice as many as in the GP care group.

Dizziness affects nearly one in three people aged over 65 in the UK and is often caused by problems with the vestibular ([balance](#)) organ in the inner ear. Patients with 'vestibular dizziness', such as those examined in this study, can suffer severe symptoms, triggered by simple everyday movements like turning over in bed, or looking left and right to cross the road. These symptoms are very disruptive—leading to falls, anxiety, depression and loss of independence.

The recommended treatment is a simple exercise-based therapy called vestibular rehabilitation, which involves nodding and shaking the head. Previous research has shown that patients using this therapy are nearly three times more likely to reduce their dizziness than those who don't. However, very few people who report dizziness to their doctor are referred for this type of treatment, so there is a real need to improve access.

Researchers at the University of Southampton developed Balance Retraining to address this problem and help people with dizziness to carry out vestibular rehabilitation exercises via the Web - using video demonstrations, instructions and personalised feedback and advice.

Lucy Yardley, Professor of Health Psychology at the University of Southampton, says: "Balance Retraining has been designed to be very straightforward to use and provides individuals with information and instruction about techniques they can use to reduce their dizziness. The vestibular rehabilitation exercises are very quick and easy to carry out, and work by encouraging the body's balance system to re-adjust to the

movements that trigger dizziness symptoms."

The Balance Retraining study included 296 patients with vestibular-related dizziness. These patients were randomly assigned to either have immediate access to the website, or to continue with usual care from their GP. The complete findings are published in the journal *Annals of Family Medicine*.

Dr Adam Geraghty, a research psychologist at the University of Southampton added: "Users were very positive about their experiences. They found it easy to use, visually appealing and encouraging. Overall, the results show that Balance Retraining is an effective and appealing method of delivering vestibular rehabilitation to those who need it. They also add to existing evidence that this is a safe and effective means of treating vestibular-related dizziness."

Professor Paul Little, a GP and Professor of Primary Care Research at the University of Southampton said: "Dizziness is both common and disabling and most sufferers don't get access to effective treatment. The Balance Retraining intervention has huge potential to provide effective and easily accessible treatment for a really under-served patient group in [primary care](#)."

The paper Internet-based [vestibular rehabilitation](#) for older adults with chronic dizziness: A randomised controlled trial in primary care is published in the journal *Annals of Family Medicine*.

More information: *Annals of Family Medicine* (2017). [DOI: 10.1370/afm.2070](#)

Provided by University of Southampton

Citation: Interactive website helps to reduce dizziness (2017, May 8) retrieved 25 April 2024 from <https://medicalxpress.com/news/2017-05-interactive-website-dizziness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.