

Machine learning may help in early identification of severe sepsis

May 24 2017



Early identification of sepsis. Credit: ATS

A machine-learning algorithm has the capability to identify hospitalized patients at risk for severe sepsis and septic shock using data from electronic health records (EHRs), according to a study presented at the

2017 American Thoracic Society International Conference. Sepsis is an extreme systemic response to infection, which can be life-threatening in its advanced stages of severe sepsis and septic shock, if left untreated.

"We have developed and validated the first [machine-learning algorithm](#) to predict [severe sepsis](#) and septic [shock](#) in a large academic multi-hospital healthcare system," said lead author Heather Giannini, MD, of the Hospital of the University of Pennsylvania. "This is a breakthrough in the use of machine learning technology, and could change the paradigm in early intervention in sepsis."

Machine learning is a type of artificial intelligence that provides computers with the ability to learn complex patterns in data without being explicitly programmed, unlike simpler rule-based systems. Earlier studies have used electronic health record data to trigger alerts to detect clinical deterioration in general.

The researchers developed a machine-learning algorithm to predict patients most at risk for severe sepsis or septic shock, and to use their electronic health record to alert the care team. To develop the algorithm, they trained a random forest classifier, an approach to classify a wide range of data, to sort through electronic health record data for 162,212 patients discharged between July 2011 and June 2014 from three University of Pennsylvania Health System acute care hospitals. The algorithm was able to examine hundreds of variables on a continuous basis. Patients with severe sepsis or septic shock were labeled as such 12 hours before the actual onset of severe sepsis or septic shock. The onset was determined based on lab results and physiological data, such as blood pressure. A total of 943 patients in the database met the assigned lab or physiological criteria.

The algorithm was validated in real time between October and December 2015 with 10,448 patients while they were cared for in the

study hospitals, using a "silent mode" of electronic health record sampling.

Approximately 3 percent of all acute care patients screened as positive, and 10 alerts were sent each day across the three hospitals.

"We were hoping to identify severe sepsis or septic shock when it was early enough to intervene and before any deterioration started," said senior author Craig Umscheid, MD, of the Hospital of the University of Pennsylvania. "The algorithm was able to do this. This is a breakthrough in showing that machine learning can accurately identify those at risk of severe [sepsis](#) and [septic shock](#)."

Dr. Umscheid added that the next steps are to examine process and outcome changes resulting from the use of this machine-learning algorithm, and to see if the [algorithm](#) has an impact in clinical practice.

More information: Abstract 7248: Development and Implementation of a Machine-Learning Algorithm for Early Identification of Sepsis in a Multi-Hospital Academic Healthcare System

Provided by American Thoracic Society

Citation: Machine learning may help in early identification of severe sepsis (2017, May 24) retrieved 19 April 2024 from <https://medicalxpress.com/news/2017-05-machine-early-identification-severe-sepsis.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--