

Parents' divorce increases risk of health disorders in children

May 25 2017



The experts designed a cross-sectional study of families where the parents were together or divorced, with the participation of 467 boys, girls and teenagers aged between two and 18 / Olmo Calvo (SINC)

Children's well-being is among the biggest concerns when a couple gets a divorce. Scientists at the universities of Santiago de Compostela and

Vigo have carried out a study into how divorce affects children's health, finding increased risk of genitourinary, gastrointestinal, dermatological and neurological issues.

Divorce is a psychosocial stressor. It can have a significant impact on the physical and psycho-emotional health of all members of a [family](#), the parents and the [children](#). A team of researchers from the universities of Santiago de Compostela and Vigo have evaluated children's risk of health problems related to their parents' separation.

"It is not the break-up in itself that has negative effects on the children's health, but improper handling of the situation by the parents. This is indicated in the scientific literature and validated by our data," said María Dolores Seijo Martínez, a researcher at the University of Santiago de Compostela (USC) and co-author of the paper.

The experts designed a cross-sectional study of families in which the parents were together or divorced, with the participation of 467 boys, girls and teenagers aged between two and 18.

The scientists found that the children of [separated parents](#) are approximately twice as likely to develop gastrointestinal, genitourinary, dermatological or neurological issues than children living in nuclear families.

The researchers did not find exposure to divorce to be linked to the development of respiratory, cardiovascular or musculoskeletal issues, allergies, or hearing and sight problems.

Avoiding toxic stress

The majority of authors believe that physical, psycho-emotional and behavioural issues are linked mainly to inadequate management of the

break-up. High levels of conflict, a lack of co-parenting or violence within the family increase the risk involved in divorce and its impact on child adjustment.

"Poor handling involves very high levels of interparental conflict, which makes it very difficult to maintain a good relationship. If children are exposed to these family situations for prolonged periods, they often experience toxic stress," says the USC researcher.

In Seijo Martínez's opinion, this causes an intense, prolonged activation of the body's stress responses, which are the main cause of these physical effects.

With respect to this, a 2012 study from the American Academy of Pediatrics suggests that adversity alone does not predict maladjustment and maladaptive health patterns in children, but is exacerbated by an absence of good relationships offering protection and support and favouring the children's adjustment and adaptation.

"We need to support families in order to reduce these consequences. Professionals in direct contact with children, such as primary care workers or school staff, have a very important role in reducing [toxic stress](#), as they are in a position to design and implement new interventions oriented towards protection and prevention," Seijo Martínez concludes.

Support for separated families

In countries like the United States and Canada, it is very common to find separation education and support programmes, particularly those implemented by family courts. In some cases, all [parents](#) are required to attend these when they file for [divorce](#), for separation custody of the children, or to demand visiting rights.

"In 2002, a pioneering programme was launched in Galicia at the University of Santiago de Compostela. The 'Parental breakdown, not family breakdown' (Ruptura de pareja, no de familia) programme was supported by local government until 2015, and is now run by volunteers," explains María Dolores Seijo Martínez.

More information: José María Martínón et al. Impacto de la ruptura de los progenitores en el estado de salud física de los hijos, *European Journal of Education and Psychology* (2017). [DOI: 10.1016/j.ejeps.2016.10.002](https://doi.org/10.1016/j.ejeps.2016.10.002)

Provided by Spanish Foundation for Science and Technology (FECYT)

Citation: Parents' divorce increases risk of health disorders in children (2017, May 25) retrieved 28 April 2024 from <https://medicalxpress.com/news/2017-05-parents-divorce-health-disorders-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.