

Zinc effective in pediatric presymptomatic Wilson disease

May 4 2017



(HealthDay)—For young children with presymptomatic Wilson disease,



zinc monotherapy is safe and effective, according to a study published online April 28 in the *Journal of Gastroenterology and Hepatology*.

Keisuke Eda, from the Kurume University School of Medicine in Japan, and colleagues examined 24 children younger than 10 years with presymptomatic Wilson disease who received zinc monotherapy from the time of diagnosis.

The researchers observed a significant decrease in <u>aspartate</u> <u>aminotransferase</u> and alanine aminotransferase beginning one month after treatment initiation, and remaining under 50 U/L from one to eight years of treatment. At six months there was a significant decrease in 24-hour urinary copper, which usually remained under 75 μ g/day and between 1 and 3 μ g/kg/day for the rest of the study. Patients continued taking zinc and none of them became symptomatic. Aspartate aminotransferase and <u>alanine aminotransferase</u> significantly decreased at one month after treatment initiation in <u>patients</u> under 6 years who received 50 mg/day of zinc as an initial dose; at six months there were decreases in γ -glutamyltranferase and 24-hour urinary copper.

"To our knowledge, this is the first multicenter study of zinc monotherapy for <u>young children</u> with presymptomatic Wilson disease," the authors write. "Such monotherapy proved highly effective and safe."

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2017 HealthDay. All rights reserved.

Citation: Zinc effective in pediatric presymptomatic Wilson disease (2017, May 4) retrieved 27 April 2024 from

https://medicalxpress.com/news/2017-05-zinc-effective-pediatric-presymptomatic-wilson.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.