

Breast cancer risk reduced in women with diabetes who take low-dose aspirin

June 8 2017



Credit: Mary Ann Liebert, Inc., publishers

A new study of nearly 149,000 women with diabetes over 14 years showed an overall 18% reduced breast cancer risk for women who used low-dose aspirin compared to those who did not. The study design and results are published in an article in *Journal of Women's Health*.

In the article entitled "Low-Dose Aspirin Reduces Breast Cancer Risk in Women with Diabetes: A Nationwide Retrospective Cohort Study in Taiwan," Yi-Sun Yang, MD, PhD, Chien-Ning Huang, MD, PhD, and coauthors from Chung Shan Medical University Hospital and Hung Kuang University, Taichung, Taiwan, defined low-dose aspirin use as intake of 75-165 mg daily. The researchers reported that a high cumulative dose of aspirin over the 14-year study period reduced [breast cancer risk](#) by 47%, whereas low and medium cumulative doses did not reduce risk.

"Women with type 2 diabetes have an increased risk of breast cancer, and these results suggest that the same low-dose aspirin that many of these [women](#) take to prevent cardiovascular disease may also help reduce their risk of breast cancer," says Susan G. Kornstein, MD, Editor-in-Chief of *Journal of Women's Health*, Executive Director of the Virginia Commonwealth University Institute for Women's Health, Richmond, VA, and President of the Academy of Women's Health.

More information: Yi-Sun Yang et al, Low-Dose Aspirin Reduces Breast Cancer Risk in Women with Diabetes: A Nationwide Retrospective Cohort Study in Taiwan, *Journal of Women's Health* (2017). [DOI: 10.1089/jwh.2016.6040](https://doi.org/10.1089/jwh.2016.6040)

Provided by Mary Ann Liebert, Inc

Citation: Breast cancer risk reduced in women with diabetes who take low-dose aspirin (2017,

June 8) retrieved 26 April 2024 from

<https://medicalxpress.com/news/2017-06-breast-cancer-women-diabetes-low-dose.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.