


More breast cancers were diagnosed at early stage after Affordable Care Act took effect

June 23 2017



Micrograph showing a lymph node invaded by ductal breast carcinoma, with extension of the tumour beyond the lymph node. Credit: Nephron/Wikipedia

A Loyola University Chicago study published this month has found an increase in the percentage of breast cancer patients who were diagnosed in early Stage 1, after the Affordable Care Act took effect.

The increases in Stage 1 diagnoses were higher among African American and Latina [breast cancer](#) patients, compared to white patients.

The study by Abigail Silva, PhD, MPH, and colleagues is published in the journal *Cancer Epidemiology*. Silva is an assistant professor in the Department of Public Health Sciences of Loyola University Chicago Stritch School of Medicine.

The Affordable Care Act eliminated copayments and other out-of-pocket costs for 45 preventive care services, including mammograms. This made mammograms more affordable, potentially leading to earlier diagnoses.

The earlier [cancer](#) is detected, the more effectively it can be treated. Diagnosing breast cancer when it is still in Stage 1 could improve the prognosis for thousands of women and reduce the need for invasive treatments such as chemotherapy for a substantial number of women, Silva and colleagues wrote.

Breast cancer is the most common cancer among women in the United States. The American Cancer Society estimates nearly 253,000 women will be diagnosed this year.

Compared to white women, Latinas are less likely to receive mammograms overall and African Americans are less likely to receive mammograms at recommended intervals. Out-of-pocket payments have been identified as a potential barrier to getting screening mammograms.

The retrospective study included 470,465 breast cancer patients between

the ages of 50 and 74 who were covered by private insurance or Medicare and were newly diagnosed with Stage 1-4 cancer. Researchers examined two time periods: 2007-2009 (before the Affordable Care Act took effect) and 2011-2013 (after the act took effect). Researchers obtained data from the National Cancer Database, which includes approximately 70 percent of all newly diagnosed cancers in the United States from about 1,500 hospitals.

Overall, the percentage of breast cancers that were diagnosed at Stage 1 increased 3.6 percentage points, from 54.4 percent to 58.0 percent. There was a corresponding decrease in Stage 2 and Stage 3 diagnoses, while the proportion of Stage 4 cancers did not change. The shift toward Stage 1 [breast](#) cancer diagnoses increased by 3.2 percentage points among whites, 4.0 percentage points among African Americans and 4.1 percentage points among Latinas.

Compared to African Americans and Latinas, a higher percentage of white [breast cancer patients](#) are diagnosed at Stage 1. This disparity decreased following the Affordable Care Act, as minorities saw modestly higher improvements in Stage 1 diagnoses.

Researchers concluded that further studies to evaluate the impact of the Affordable Care Act on cancer outcomes and disparities "should be supported as they will help inform future policy recommendations."

More information: Abigail Silva et al, Potential impact of the Affordable Care Act's preventive services provision on breast cancer stage: A preliminary assessment, *Cancer Epidemiology* (2017). [DOI: 10.1016/j.canep.2017.05.015](#)

Provided by Loyola University Health System

Citation: More breast cancers were diagnosed at early stage after Affordable Care Act took effect (2017, June 23) retrieved 3 May 2024 from

<https://medicalxpress.com/news/2017-06-breast-cancers-early-stage-effect.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.