

## Study examines caregiving by family members, other unpaid individuals

June 6 2017

It's estimated that nearly 30 percent of the 38.2 million people aged 65 or older in this country receive some form of caregiving, either for health reasons or to help manage daily activities. More than 65 percent of these older individuals rely on family members, friends, and even neighbors for assistance with things like preparing meals, bathing, taking medications, and getting transportation.

Caregiving is a significant public health topic because it affects the health and well-being of both the older adult and his or her caregivers. Recently, a team of researchers examined the various characteristics of people who serve as unpaid caregivers. They also estimated how many people serve in this capacity. The researchers took note of the health-related tasks the caregivers provided, as well as how <u>caregiving</u> affected care providers. The researchers published their findings in the *Journal of the American Geriatrics Society*.

Using information from the 2011 National Health and Aging Trends Study and National Study of Caregiving, the researchers reported that:

- The largest number of caregivers took care of <u>older adults</u> without dementia or a disability.
- Adult children were the largest group of caregivers.
- Many caregivers limited their participation in <u>social activities</u>, such as visiting family and friends or going out for enjoyment, due to caregiving responsibilities.
- Fewer than 5 percent of caregivers attended support groups. A



little over 6 percent of caregivers received training, and only about 13 percent used respite care (temporary care sometimes arranged at a healthcare facility to provide short-term relief for a caregiver). The highest proportion of people using these services cared for people with both dementia and disability.

The researchers also explored unique ways that caregivers described their experiences:

Caregivers for older adults without dementia or disability	Caregivers for older adults <u>with</u> dementia but <u>no</u> disability
10%	19%
Nearly 20%	Approximately 25%
Nearly 50%	Approximately 66%
12 hours per week	30 hours per week
	without dementia or disability  10%  Nearly 20%  Nearly 50%

Caregivers helped with a wide range of tasks, said the researchers. They not only helped with household chores like shopping, housekeeping, and transportation but also with many health-related activities, such as making doctor appointments, ordering medicines, and assisting with diet



and dental care.

The more healthcare tasks caregivers provided, the higher their risk for burden and for decreasing their involvement in social activities.

According to the researchers, although most caregivers who assisted with health-related care experienced caregiver burden, only a small minority used support services, including caregiver training, respite care, and support groups. These findings suggest the importance of evaluating the needs and capabilities of all caregivers assisting older adults, not just those who are typically thought of as high-risk. The researchers also suggested that it is also essential that we explore and implement strategies that support caregivers.

**More information:** Catherine Riffin et al, Family and Other Unpaid Caregivers and Older Adults with and without Dementia and Disability, *Journal of the American Geriatrics Society* (2017). DOI: 10.1111/jgs.14910

## Provided by American Geriatrics Society

Citation: Study examines caregiving by family members, other unpaid individuals (2017, June 6) retrieved 20 March 2024 from <a href="https://medicalxpress.com/news/2017-06-caregiving-family-members-unpaid-individuals.html">https://medicalxpress.com/news/2017-06-caregiving-family-members-unpaid-individuals.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.