

What's the best way for children to lose weight? Here's what the research says

June 22 2017, by Emma Mead, Karen Rees, Lena Al-Khudairy And Louisa Ells



Credit: Ketut Subiyanto from Pexels

An increasing number of children and adolescents across the world are too heavy for their age, height and sex. Fortunately, new evidence

reveals that there are proven, effective ways to tackle overweight and obesity in the young. Two reviews, published today, show that combinations of diet, exercise and behavioural change produce small but important reductions in measures of body mass in school-aged children and adolescents.

Obese children are at increased risk of [diabetes](#), [high blood pressure](#), [asthma](#) and [sleep problems](#). As well as physical health problems, we know that being overweight or obese in this age group is associated with low self-esteem, which can lead to [mental health problems](#) and [poor quality of life](#).

[Evidence shows](#) that, if left unchecked, overweight and obesity persists into adulthood. Adult obesity can often lead to [type 2 diabetes](#), [heart disease](#), [stroke](#), [some cancers](#), [mental health problems](#), [reduced quality of life](#) and [shorter life expectancy](#).

Gold-plated evidence

The new research findings come from two Cochrane Reviews looking at lifestyle interventions in children aged [six to 11](#) and adolescents aged [12 to 17](#) years old. [Cochrane Systematic Reviews](#) use robust methods to bring together all the available evidence to tell us whether interventions are effective. Together, the two reviews include findings from over 100 studies.

The two Cochrane Reviews published today are the last in a series of six reviews looking at different treatments to treat obesity in young people. Others, already published, have looked at the effectiveness of [obesity surgery](#) and [drugs](#) in older children and adolescents, interventions that [target only parents](#) and [lifestyle interventions in pre-school children](#).

Interventions for younger children

The review of children aged six to 11 years reports on 70 studies which include over 8,000 children. Notably, most studies were conducted in wealthy countries. The parents were involved in most interventions, given their influential role in providing healthy meals and helping their children to be more active and spend less time watching TV and playing on the computer. The combined [lifestyle interventions](#) which support children to improve their diet and be more active, were provided in a variety of settings including school, healthcare settings and in the community. Whether parents were involved or where the interventions were delivered did not seem to affect the results.

Overall, in the six-to-11-year age group there were small weight reductions in the short term. Other measures we looked at included self-esteem, quality of life and changes to [food intake](#) and exercise levels, but there was not enough information reported in the studies to draw any conclusions about these.

...and for adolescents

The review of young people aged 12 to 17 reports on 44 studies with just under 5,000 participants. Similarly, most studies were conducted in wealthy countries. Combinations of diet, exercise and behavioural interventions reduced body mass in adolescents. And where studies were conducted over longer time periods, these changes were maintained. There were no differences in terms of where the interventions took place or whether parents were involved. Larger reductions in [body mass](#) were seen where interventions were longer.

In adolescents, there were more studies looking at quality of life, and this seemed to improve with the combined interventions. However, there

was not enough information to draw conclusions on changes in self-esteem or food intake or exercise habits.

The results from these reviews are encouraging, but we know that obesity is a complex and [relapsing condition](#), so we need to do more to understand which components of treatment are more effective and for whom, and how best to maintain positive changes in the long term.

Recent increases in the number of young [children](#) who are overweight have been observed in low and middle income countries, yet few studies have been carried out in these countries, so we don't know whether the interventions described in the reviews will work for [young people](#) in these countries. More studies in these countries would be extremely helpful.

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Citation: What's the best way for children to lose weight? Here's what the research says (2017, June 22) retrieved 1 May 2024 from <https://medicalxpress.com/news/2017-06-children-weight.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--