

Difficulties diagnosing delirium in older adults after surgery

June 6 2017

Delirium is a medical term for "sudden confusion." It is an abrupt, rapid change in mental function and can cause a wide variety of shifts in behavior ranging from aggression or agitation to feeling sleepy and inactive (or even a combination of several behaviors). When delirium occurs after an older person has had surgery, it's called "post-operative delirium."

Experts still don't always agree on delirium symptoms or diagnoses, even when they are assessing the same symptoms in the same people. A team of [researchers](#) from the Netherlands designed a study to look at the accuracy of delirium diagnoses in older adults after surgeries. Their study was published in the *Journal of the American Geriatrics Society*.

In the study, researchers examined 167 older adults from one to three days after surgery. The researchers used a standard delirium rating scale and recorded the tests on video. Afterwards, the videos were shown to two independent delirium experts. If the experts didn't agree on a diagnosis, the researchers asked a third expert to review the video. A third expert was called in for 21 percent of the evaluations.

According to the researchers, a relatively high number of people with delirium were not diagnosed with the condition by a physician or other healthcare practitioner in the time following their surgery. For example, the researchers found that clinical nurses recognized only 32 percent of the cases of delirium that were diagnosed by the experts reviewing the videotapes.

There is a considerable amount of disagreement among experts about what constitutes delirium among older adults after surgery. The researchers concluded that developing better, more objective screening tools may make it easier and more accurate for experts to diagnose delirium in the future. Understanding the condition—how to recognize and address it—is also an important first step for many [older adults](#) and caregivers. You can learn more about [delirium](#) at HealthinAging.org.

More information: Tianne Numan et al, Recognition of Delirium in Postoperative Elderly Patients: A Multicenter Study, *Journal of the American Geriatrics Society* (2017). [DOI: 10.1111/jgs.14933](https://doi.org/10.1111/jgs.14933)

Provided by American Geriatrics Society

Citation: Difficulties diagnosing delirium in older adults after surgery (2017, June 6) retrieved 20 April 2024 from <https://medicalxpress.com/news/2017-06-difficulties-delirium-older-adults-surgery.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--