

Could handheld electronic devices contribute to carpal tunnel syndrome?

June 21 2017

In a study of 48 university students, intensive users of electronic devices reported more wrist/hand pain than non-intensive users.

Intensive users also showed signs of effects on the [median nerve](#) within the carpal tunnel and the transverse carpal ligament, resulting in numbness, tingling, and pain in the hand.

The findings indicate that caution may be warranted when using handheld electronic devices, in order to minimize the chance of developing carpal tunnel syndrome.

"Our prior work identified that out of 500 students, 54% (245/451) of intensive users and 12% (6/49) of non-intensive users reported musculoskeletal symptoms in relation to use of electronic devices. We randomly selected 48 students using stratified sampling from the intensive and non-intensive users for further investigation and our results showed that excessive use of electronic devices may be linked to a greater risk of developing [carpal tunnel syndrome](#)," said Dr. Peter White, co-author of the *Muscle & Nerve* study.

"Therefore, vigilance in educating and monitoring young people using [electronic devices](#) is important, especially children and adolescents as they are less capable of self-regulating."

More information: *Muscle & Nerve*, [DOI: 10.1002/mus.25697](https://doi.org/10.1002/mus.25697)

Provided by Wiley

Citation: Could handheld electronic devices contribute to carpal tunnel syndrome? (2017, June 21) retrieved 24 April 2024 from <https://medicalxpress.com/news/2017-06-handheld-electronic-devices-contribute-carpal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.