

Developing safe level guidelines for bioactives

June 2 2017

The good news is out that wine and dark chocolate may be good for your health. That's because of substances known as bioactives that are contained in those foods.

Research has shown the potential [health](#) benefits of bioactive nutrients—those compounds found in foods like fruits, vegetables, tea, and cocoa. And consumers are showing an increased interest in learning more.

But can there be too much of a good thing?

John Erdman, a professor emeritus in the Department of Food Science and Human Nutrition at the University of Illinois, and his lab have studied bioactives and their health benefits for years. Now, Erdman and a team of other scientists want to see recommended maximum intake levels established by [public health officials](#) in order to help educate people about what they should be consuming. Such guidelines are needed whether bioactive nutrients are consumed from fruits or vegetables as part of a healthy diet, or from supplements derived from those foods.

In a series of recently published papers, including a study in the journal *Regulatory Toxicology and Pharmacology*, Erdman and colleagues report that the key to establishing appropriate levels is assessing bioactives' safety and potential toxicity: In other words, how much is too much before there are adverse side effects?

"There's been a huge amount of interest in bioactives in foods, not only in the College of ACES at Illinois, but around the world, as they relate to cancer, heart disease, diabetes, and longevity. Often times we'll use an animal model or cell culture model to test a bioactive to see if it has efficacy. I don't think very many people think about the safety side, though," he adds, pointing out that even life-essential things like water or oxygen, can be toxic if too much is taken in.

Tolerable upper intake levels (ULs) for essential nutrients in the United States were set after a review period between 1994 and 2004. But bioactives, as supplements, remain unregulated. Unlike vitamins, such as vitamin C, or essential nutrients like iron or zinc, bioactives are non-essential compounds in [food](#). But they could influence health if consumed by the appropriate population in the right amounts, Erdman says.

So, if bioactives promote health, and scientists can demonstrate that, then what criteria must be met to have recommendations like Recommended Dietary Allowances (RDAs) or Dietary Reference Intakes (DRIs) set for bioactives?

The answer is two-pronged, Erdman says. It's about determining efficacy (how well it works and how much is needed) and safety (at what level might the compound produce adverse effects), a risk-benefit curve.

"If we're going to make recommendations for something like resveratrol, a compound in red wine, as an example, or lycopene, the red pigment in tomatoes, we should have an idea about how much is really needed for efficacy. How often do you need to consume it? And are supplements of resveratrol or lycopene absorbed by humans and stable in the bottles? If you just go to a health foods store for supplements, you don't really know what you're getting," he says.

Erdman and his lab have been interested in bioactives in foods like soy, tomato, and broccoli for some time, particularly for reducing the risk of cancer. They have focused in on carotenoids, which are found in the pigments in foods such as tomato and carrots. Most recently, though, Erdman has focused his research on lutein. Lutein is also a carotenoid primarily found in green leafy vegetables, but also as the pigment of egg yolks and corn.

"There's been a lot of research showing that lutein is very important in eye health, Erdman says.

Demonstrating the [health benefits](#) in these substances and determining the safety of the substances when consumed can be difficult because a lot of data from human clinical trials are required.

"To establish ULs, ideally we would rely on cases where chronic intake of a compound caused an adverse effect. But usually we don't have that kind of data," Erdman says. "For vitamin A, for example, there is an UL mostly that's based on cases where someone took a larger amount of vitamin A and then had some liver problems. Or magnesium where the upper level is based on severe diarrhea, which is not life threatening, but an adverse effect. We can use the same approach for bioactives, but what it requires is human trials. There are many challenges, because they are expensive to run and who is going to pay for them?"

The paper includes case studies in which two bioactive nutrients as supplements were reviewed for risk and benefit; lutein and ECGC, a green tea extract. For lutein, studies showed efficacy and that the only adverse event that's been shown is non-life threatening yellowing of skin. As far as the ECGC study, Erdman says it serves as a very good warning. "We've known for a long time that drinking tea is very helpful and has good benefits in regards to cardiovascular health and, some studies show, blood pressure reduction. But if you pull out one compound from tea and

consume it as a dietary supplement at very high levels it can be toxic, and this was shown for the liver in some persons consuming supplements high in ECGC."

Erdman adds, "You don't want people thinking they are improving their health by consuming large amounts of the material and are actually causing harm. In order to make recommendations you have to know what the upper safe limit of the material is. In many cases that's not known very well. There has been much less work done with bioactives."

Until dietary recommendations are set for bioactives, Erdman says that he and the group of scientists he works with will continue carrying out research and presenting their information at meetings and symposiums. "We all would like to see some guidelines put in place, and recognition that there are some very important bioactives in foods. Let's recognize them and under what conditions they should be used, and then let the public know. Most of them come from plant foods—fruits or vegetables—and some come from grains. As nutritionists, we want people to eat more fruits and vegetables and whole grains. Hopefully we can give them another reason, and that is because there are bioactives in these foods, not just vitamins. For people who ignore fruits and vegetables and take a vitamin pill, they are not getting these bioactives."

"Bioactive nutrients—Time for tolerable upper intake levels to address safety," is published in *Regulatory Toxicology and Pharmacology*. Co-authors are Allison A. Yates, John W. Erdman, Andrew Shao, Laurie C. Dolan, and James C. Griffiths.

More information: Allison A. Yates et al. Bioactive nutrients - Time for tolerable upper intake levels to address safety, *Regulatory Toxicology and Pharmacology* (2017). [DOI: 10.1016/j.yrtph.2017.01.002](https://doi.org/10.1016/j.yrtph.2017.01.002)

Provided by University of Illinois

Citation: Developing safe level guidelines for bioactives (2017, June 2) retrieved 25 April 2024 from <https://medicalxpress.com/news/2017-06-safe-guidelines-bioactives.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.