


# Simple CT scanning procedure shows measuring blood flow can predict effectiveness of ovarian cancer treatment

June 28 2017

---



Credit: University of Western Ontario

Technology developed at Western University and Lawson Health Research Institute can provide a new window into whether or not

patients are responding to treatment for advanced ovarian cancer. A multi-centre clinical trial has demonstrated that CT Perfusion, which measures blood flow and blood volume to tumours associated with ovarian cancer, can provide an accurate prediction of how well a treatment is working, allowing physicians the opportunity to better plan treatment. Funding for the trial was provided by the US National Cancer Institute through the National Clinical Trials Network including NRG Oncology and ECOG-ACRIN.

"CT perfusion is honing into the change in blood flow to the tumour before and after treatment," said Ting-Yim Lee, professor at Western University's Schulich School of Medicine & Dentistry, scientist at Lawson Health Research Institute, and a medical physicist at St. Joseph's Health Care London. "In this particular case we can see that blood flow tends to decrease in those who will survive longer without symptoms, whereas for those whose symptoms will recur within six months, we saw blood flow to the tumour increase after their treatment."

The study, was published in the journal, *Clinical Cancer Research*. Its authors point out that in 60 to 85 per cent of [ovarian cancer](#) patients, relapse will occur after initial treatment. Using CT perfusion to identify which patients are more likely to benefit from a specific therapy, enables better patient selection and treatment planning, and also provides a biomarker for future clinical trials assessing new treatment options. The authors also point out that although the trial is promising, further studies are required to corroborate the current findings.

"Using this method we are able to see a change in the [blood flow](#) as early as four weeks after treatment. This means we don't have to wait months to determine whether symptoms will recur, we are able to tell whether the [treatment](#) is effective much sooner," said Lee.

**More information:** Chaan S. Ng et al, CT Perfusion as an Early Biomarker of Treatment Efficacy in Advanced Ovarian Cancer: An ACRIN and GOG Study, *Clinical Cancer Research* (2017). [DOI: 10.1158/1078-0432.CCR-16-1859](https://doi.org/10.1158/1078-0432.CCR-16-1859)

Provided by University of Western Ontario

Citation: Simple CT scanning procedure shows measuring blood flow can predict effectiveness of ovarian cancer treatment (2017, June 28) retrieved 25 April 2024 from <https://medicalxpress.com/news/2017-06-simple-ct-scanning-procedure-blood.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.