


Study sheds light on how body may detect early signs of cancer

July 26 2017



Electron microscopic image of a single human lymphocyte. Credit: Dr. Triche
National Cancer Institute

Fresh insights into how cells detect damage to their DNA - a hallmark of cancer - could help explain how the body keeps disease in check.

Scientists have discovered how [damage](#) to the cell's genetic material can trigger [inflammation](#), setting in motion processes to remove [damaged cells](#) and keep tissues healthy.

The findings shed new light on how potentially cancerous [cells](#) are flagged, so that they can be removed as part of the body's natural surveillance systems before tumours form.

A key molecule called cGAS is known to bind DNA, triggering inflammation. Until now, it was not clear how this happens as DNA is usually physically separated from the rest of the cell inside a compartment called the nucleus.

When damage occurs, fragments of DNA can get separated from the nucleus and form structures called micronuclei.

Researchers at the MRC Human Genetics Unit at the University of Edinburgh discovered that cGAS can penetrate these micronuclei and bind to DNA, initiating mechanisms that lead to inflammation.

As DNA damage is often one of the early steps in the development of cancer, the detection of micronuclei by cGAS could therefore be an important early alarm system allowing the human body to detect and remove potentially cancerous cells.

The team say their findings could also shed light on how inflammation occurs in certain types of autoinflammatory diseases, where the immune system attacks the body's own tissues.

The study, published in *Nature*, was funded by the Medical Research

Council and Newlife - The Charity for Disabled Children.

Lead author Dr Karen Mackenzie, of the MRC Human Genetics Unit at the University of Edinburgh, said: "Our findings provide a possible new mechanism for how the body protects itself against cancer, but in some circumstances could instead trigger inflammatory disease."

Dr Martin Reijns, Senior Research Fellow at the MRC Human Genetics Unit, said: "We hope that this research will inform future studies into the development of improved therapeutic approaches."

More information: Karen J. Mackenzie et al, cGAS surveillance of micronuclei links genome instability to innate immunity, *Nature* (2017). DOI: [10.1038/nature23449](https://doi.org/10.1038/nature23449)

Provided by University of Edinburgh

Citation: Study sheds light on how body may detect early signs of cancer (2017, July 26) retrieved 8 May 2024 from <https://medicalxpress.com/news/2017-07-body-early-cancer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--