

Delaying the effects of aging through safe hormonal therapy

July 7 2017



Credit: pixabay

A group of Spanish researchers has developed the basis of a new model to better classify patients when it comes to prescribing anabolic hormone supplementation.

A researcher from Faculty of Sciences for Physical Activity and Sport (INEF) at UPM engaged in a research project that shows the role of muscular function in the correlation between the hormonal status and hospitalization and [mortality risk](#). As a result of the Toledo Study for Healthy Aging, researchers have designed a clinical method to classify patients that can receive hormonal therapy safely to mitigate the negative effects of aging.

Aging is an inevitable process that entails a series of changes that alter health in a negative way. These changes occur in organs and systems and also at a hormonal level. As the body ages, the concentrations of anabolic hormones tend to decrease.

These hormones transmit messages to the whole organism with the aim of developing new biomolecules—that is, they are associated with the growth of diverse tissues and organs, including the skeletal muscle.

Therefore, this decrease of hormone concentration might cause progressive muscular atrophy due to insufficient regeneration of muscular tissues. In addition, as we grow older, we tend to accumulate more fat mass, and as a result, we have people with physical dysfunction, reduced mobility and, consequently, with greater dependence and mortality.

For this reason, hormone supplementation could be a suitable way of curbing [negative effects](#) of aging. However, this type of supplementation could have serious adverse effects, such as higher prevalence of cardiovascular events. Starting from this background, the researchers have designed a clinical method to distinguish the patients who could benefit from [hormone therapy](#) from the patients who are unsuitable.

"This model not only takes into account the concentration of anabolic hormones in the organism, but also the correlation between these

concentrations and the muscular effort exerted by the individual," says Amelia Guadalupe-Grau, a professor at the Faculty of Sciences for Physical Activity and Sport (INEF).

As a result, the muscular function can help better understand the correlations between the levels of anabolic hormones and health events. Thus, researchers will be able to specifically select those patients that should potentially receive hormone therapy and those patients who could benefit most from a physical exercise program.

Researchers observed that mortality risk and hospitalization are closely related to the balance of hormone/total strength ratio. If this ratio is unbalanced, mainly due to a high hormonal concentration for average values or low muscular strength or when strength levels are below the hormonal levels, hormonal deregulation occurs.

It is believed that at least part of this deregulation is due to the fact that the receptors of these hormones do not work properly, and therefore the muscular atrophy is not caused by the lack of anabolic hormones, but because target organs of these hormones cannot grasp them properly, and the signal does not arrive.

"We have to be careful when supplementing with hormones. We need to ensure that we are using the right dose. When the dose is small, it causes no effect. However, if the dose exceeds the right values, the adverse effects such as cardiovascular events are much common," says Dr. Guadalupe-Grau. This new method will allow physicians to prescribe the hormone treatment in a safer way for the patient.

According to this study, which was published in *Journal of the American Medical Directors Association (JAMDA)*, hormone supplementation is inappropriate when [patients](#) have a hormonal deregulation caused by a failure in the [hormone](#) receptors (indirectly measured through the

muscular strength).

More information: Amelia Guadalupe-Grau et al. Endocrinology of Aging From a Muscle Function Point of View: Results From the Toledo Study for Healthy Aging, *Journal of the American Medical Directors Association* (2016). [DOI: 10.1016/j.jamda.2016.09.005](https://doi.org/10.1016/j.jamda.2016.09.005)

Provided by Universidad Politécnica de Madrid

Citation: Delaying the effects of aging through safe hormonal therapy (2017, July 7) retrieved 17 July 2024 from <https://medicalxpress.com/news/2017-07-effects-aging-safe-hormonal-therapy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.