

## **Detailed structure of the sweat gland revealed**

July 10 2017





Figure 1: Detail three-dimensional structure of human sweat gland. Credit: Osaka University



Researchers at Osaka University have characterized the structure of human sweat glands down to the single-cell level; the findings clarify the functional components of these glands and their interactions with the vasculature and nervous system, and thus could lead to treatments for sweating disorders

The basic structure of <u>human sweat</u> glands consists of a coiled secretory region deep in the skin and then a tube or duct that conveys the <u>sweat</u> to a pore at the skin surface. However, it has been difficult to obtain more detailed structural insights due to technical limitations and the structural complexity of these glands.

In a major breakthrough that boosts our understanding of how we sweat, a team at Osaka University has applied a recently developed technique called whole-mount immunostaining to study sweat glands, revealing their structure down to the single-cell level and thus shedding light on the functions of their different components. The obtained findings should lead to treatments for disorders of the perspiratory system.

Conventional approaches for studying structural features of tissues involve cutting blocks of tissue into thin sections, and then viewing these sections after applying certain stains or dyes to resolve the features. Although these sections can then be reconstructed in a series to approximate the 3D arrangement of the tissue, this has a drawback in that the sectioning and preparation procedures can disrupt minute structural features. As reported in the journal *PLOS One*, the Osaka University team has now overcome these issues by applying wholemount immunostaining to sweat glands after removing adjacent connective tissue in the skin, enabling anatomic features to be observed in a completely intact state.





Figure 2: Three-dimensional arrangements of myoepithelial cells and nerve fibers at secretory portion of human sweat glands. Credit: Osaka University

"Whole-mount immunostaining allows us to view the sweat gland structures seamlessly, without interruptions for sectioning, which is very important given that part of the gland has tubes that are entangled with each other in a very complicated way," Kiyotoshi Sekiguchi says. "We revealed the different cross-sectional shapes of these tubes and the cells that they're made of."

The team's findings reveal the importance of cells called myoepithelial cells working in unison to induce contraction of the secretory part of sweat glands to convey sweat to the exterior. The results also show how



nerves and blood vessels interact with the various components of sweat glands, providing hints about how regulation of sweating could go awry.

"This knowledge about sweat gland <u>structure</u> and function could have many clinical applications, and even lead to strategies for treating heatstroke," Ryuichiro Kurata adds. "Because of the high-resolution findings that our approach provides, we can even determine the density of nerve fibers in <u>sweat glands</u>, helping to diagnose specific sweatingrelated disorders and to select appropriate treatments."

**More information:** Ryuichiro Kurata et al. Three-dimensional cell shapes and arrangements in human sweat glands as revealed by whole-mount immunostaining, *PLOS ONE* (2017). DOI: 10.1371/journal.pone.0178709

Provided by Osaka University

Citation: Detailed structure of the sweat gland revealed (2017, July 10) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2017-07-gland-revealed.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.