

Repairing damaged nerves and tissue with spider threads

July 28 2017



The golden orb-weaver spider. Credit: Medical University of Vienna

The golden orb-weaver spider from Tanzania spins such strong webs that Tanzanian fishermen use them for fishing. Their spider silk is more tear-

resistant than nylon and four times more elastic than steel, is heat-stable up to 250° C, extremely waterproof and, on top of that, has antibacterial properties. These characteristics also make it attractive from the point of view of biomedical research. Initial studies conducted by Christine Radtke, new Professor for Plastic and Reconstructive Surgery at MedUni Vienna/Vienna General Hospital, have shown in an animal model that the threads have great potential for nerve and tissue repair.

There is currently a great need for such techniques in plastic and [reconstructive surgery](#), especially for so-called extensive [nerve](#) injuries of more than 5 cm in length in the peripheral nervous system – for example following a serious accident or after tumour resection. Apart from limited nerve grafts, doctors have only been able to use synthetic conduits (interposition graft), to reconnect severed nerves so that the [nerve fibres](#) can grow back together. "However, this only really works well over short distances of up to 4 cm, at most," explains Radtke.

Radtke and her colleagues at the Medical University of Hannover, from whence the surgeon transferred to Vienna in October 2016, developed a new microsurgical technique that involves filling the veins with spider [silk](#) to form a longitudinal guide structure. "This acts almost like a rose trellis," explains Radtke, who is continuing her research at MedUni Vienna/Vienna General Hospital. "The nerve fibres use the silk fibres to grow along in order to reconnect with the other end of the nerve. The silk provides the cells with good adhesion, supports cell movement and encourages cell division."

In an [animal model](#), this technique successfully repaired [nerve damage](#) over distances of up to 6 cm: the nerve fibres grew back together in a functional way within 9 months. At the same time, the framework of spider threads, which is a natural substance, was completely broken down by the body. Equally, spider silk does not provoke a rejection reaction.

Radtke currently has 21 spiders – and hopes to increase this to 50. The spider threads are mechanically harvested, allowing up to 200 m of spider silk to be obtained within 15 minutes. On average, the spiders are "milked" once a week. This process does not harm the spider, which then receives an extra ration of cricket. Several hundred meters of silk are needed to bridge a 6-cm-long nerve injury.

Work is currently underway to certify [spider](#) silk as a medical device, so that it can also be used in clinical trials on humans. Once that has been done, there are other potential applications, says the surgeon: for example in orthopaedics for meniscus or ligament injuries or as a potential skin substitute for deep skin burns. It is possible that [spider silk](#) could also be used in future for other neurological diseases where cell transplantation plays a role.

Provided by Medical University of Vienna

Citation: Repairing damaged nerves and tissue with spider threads (2017, July 28) retrieved 11 May 2024 from <https://medicalxpress.com/news/2017-07-nerves-tissue-spider-threads.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--