


Pattern of marijuana use during adolescence may impact psychosocial outcomes in adulthood

July 25 2017



Credit: CC0 Public Domain

How an adolescent uses marijuana, in particular a pattern of escalating use, may make an adolescent more prone to higher rates of depression



and lower educational accomplishments by the time they reach adulthood. Those findings come from a new study led by researchers from the Department of Psychiatry at the University of Pittsburgh School of Medicine and Pitt Department of Psychology published today in the journal *Addiction*.

"We know that cannabis use in adolescence is associated with outcomes like lower educational level, and difficulties with mood and depression, but through this long-term study, we've been able to provide a much deeper insight into this relationship, showing that certain characteristics of use may be more important than others," said Erika Forbes, Ph.D., professor of psychiatry, psychology and pediatrics, and lead author of the study. "The findings highlight that understanding marijuana use across the entire period of adolescence, which we know is an extremely vulnerable developmental phase, may tell us much more about detrimental long-term impacts than knowing about overall or one time use."

Researchers analyzed 158 boys and young men from Pittsburgh who were part of The Pitt Mother & Child Project (PMCP), a long-running longitudinal study of males at high risk for antisocial behavior and other psychopathology based on low income, family size and child gender, led by Daniel Shaw, Ph.D., distinguished professor of psychology at the University of Pittsburgh.

At age 20, the young men self-reported annual cannabis use characteristics for every year since they started use during an interview. Each man's brain was also scanned using fMRI to assess functional connectivity in the brain's reward circuit. The study participants completed questionnaires at ages 20 and 22 that examined psychosocial outcomes measuring depression and educational attainment.

The researchers analyzed frequency of cannabis use from ages 14 to 19



to determine the relationship between use during adolescence and psychosocial outcomes. In an unexpected finding, boys who started occasionally using cannabis around 15 or 16 years old and had a dramatic increase in use by the time they were 19 had the greatest dysfunction in brain reward circuitry, the highest rates of depression and the lowest educational achievements.

"We expected to see that the <u>young men</u> who had a high, consistent level of marijuana use would have differences in brain function. However, it turned out that those who had an increasing pattern of use over their teens had the biggest differences," Forbes added.

"Though the results do not show a direct causal link, it's important to note that even though most people think marijuana isn't harmful, it may have severe consequences for some people's functioning, education and mood," Forbes said. "While that may seem unimportant at age 20, the level of education you receive will likely have a huge effect on your quality of life and socioeconomic status later in adulthood."

Provided by University of Pittsburgh Schools of the Health Sciences

Citation: Pattern of marijuana use during adolescence may impact psychosocial outcomes in adulthood (2017, July 25) retrieved 3 May 2024 from https://medicalxpress.com/news/2017-07-pattern-marijuana-adolescence-impact-psychosocial.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.