

How physical exercise prevents dementia

July 21 2017

Numerous studies have shown that physical exercise seems beneficial in the prevention of cognitive impairment and dementia in old age. Now researchers at Goethe University Frankfurt have explored in one of the first studies worldwide how exercise affects brain metabolism.

In order to further advance current state of knowledge on the positive influence of [physical activity](#) on the brain, gerontologists and sports physicians at Goethe University Frankfurt have examined the effects of regular exercise on brain metabolism and memory of 60 participants aged between 65 and 85 in a [randomised controlled trial](#). Their conclusion: regular [physical exercise](#) not only enhances fitness but also has a positive impact on brain metabolism.

As the researchers report in the current issue of the medical journal *Translational Psychiatry*, they thoroughly examined all the participants in the SMART study (Sport and Metabolism in Older Persons, an MRT Study) by assessing movement-related parameters, cardiopulmonary fitness and [cognitive performance](#). In addition, magnetic resonance tomography (MRT) and [magnetic resonance spectroscopy](#) (MRS) were used to measure brain metabolism and brain structure. Following this examination, the participants mounted an exercise bike three times a week over a period of 12 weeks. The 30-minute training sessions were individually adapted to each participant's performance level. The participants were examined again after the end of the programme in order to document the effects of this physical activity on brain metabolism, cognitive performance and brain structure. The researchers also investigated to what extent exercise had led to an improvement in

the participants' [physical fitness](#). The study was conducted by the Gerontology Department of the Institute of General Medicine (headed by Professor Johannes Pantel) and the Department of Sports Medicine (led by Professor Winfried Banzer).

As expected, physical activity had influenced [brain metabolism](#): it prevented an increase in choline. The concentration of this metabolite often rises as a result of the increased loss of nerve cells, which typically occurs in the case of Alzheimer's disease. Physical exercise led to stable cerebral choline concentrations in the training group, whereas choline levels increased in the control group. The participants' physical fitness also improved: they showed increased cardiac efficiency after the training period. Overall, these findings suggest that physical exercise not only improves physical fitness but also protects cells.

More information: S Matura et al. Effects of aerobic exercise on brain metabolism and grey matter volume in older adults: results of the randomised controlled SMART trial, *Translational Psychiatry* (2017). [DOI: 10.1038/tp.2017.135](https://doi.org/10.1038/tp.2017.135)

Provided by Goethe University Frankfurt am Main

Citation: How physical exercise prevents dementia (2017, July 21) retrieved 25 April 2024 from <https://medicalxpress.com/news/2017-07-physical-dementia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.