


# Scientists find the key to improved cancer immunotherapy

July 18 2017



Metastases (black regions) in the lungs of wild type (WT) mice and mice lacking DC1 dendritic cells (Batf3<sup>-/-</sup>), showing that DC1 dendritic cells are required for

efficient immunotherapy upon vaccination with tumor antigens. Credit: CNIC

Researchers at the Centro Nacional de Investigaciones Cardiovasculares Carlos III (F.S.P.) have investigated how different subtypes of essential immune-response cells called CD8+ T lymphocytes cooperate to mount a stronger anti-tumor response. The results show that generation of an optimal immune response to cancer requires cooperation between two types of memory T cell—one circulating in the blood and the other resident in tissues—that can be reactivated with current immunotherapy strategies. These results, published today in *Nature Communications*, have the potential to improve current cancer immunotherapy strategies, especially in relation to preventing metastasis.

Immunotherapy, the use of the immune system to fight sickness, is revolutionizing treatment of [cancer](#), and was selected by the prestigious journal *Science* as the major scientific advance of 2013. According to study leader David Sancho, "Cancer escapes the control of the immune system because the cytotoxic T lymphocytes that could recognize and eliminate tumor cells are inhibited. Current [immunotherapy](#) is based the reactivation of these T lymphocytes; however, little is known about how they can be generated more effectively, and in particular, how immune [memory](#) can be triggered to prevent the development of tumors and metastasis."

The CNIC research team generated cytotoxic memory T cells specifically targeting cancer by using different methods for vaccination with tumor antigens. Depending on the vaccination method, the memory T lymphocytes circulate between the blood and tissues or reside in the tissues and do not recirculate. Tissue-resident memory T cells were known to be more efficient at fighting viral reinfection, but their contribution to anti-tumor immunity was unknown until now.

Describing the study, first author Michel Enamorado explains how the team "compared the efficiency of anti-tumor immunity conferred by each type of memory T cell, and we found that the circulating and tissue-resident memory cells cooperate to generate the optimal response. Tissue-resident memory cells generate an alert state that attracts and reactivates the circulating memory cells, resulting in a faster and more effective immune response."

## **Adoptive transfer of T lymphocytes**

Another [cancer immunotherapy](#) approach already used in patients is the adoptive transfer of tumor-targeting T cells. The authors demonstrate that transferred circulating memory T cells are able to convert themselves into resident memory cells in the context of infection and cancer. Moreover, the efficiency of immunotherapy was further increased by combining this adoptive transfer with the current clinical strategy of reactivating the T cell antitumor response with antibodies to the receptor PD-1. The authors also found that reactivation of the anti-tumor response in cytotoxic memory T cells requires the DC1 subtype of dendritic cells.

The study suggests that an optimal anti-tumor [immune response](#) requires the generation of both circulating and tissue-resident T cell memory. Both memory T cells subtypes can be reactivated with current immunotherapy treatments, and reactivation of both requires DC1 dendritic [cells](#). Cancer immunotherapy is not simply a treatment that can effectively promote the rejection of primary tumors; above all, it is a fundamental tool for impeding metastasis after surgery to remove the primary tumor.

Provided by Centro Nacional de Investigaciones Cardiovasculares

Citation: Scientists find the key to improved cancer immunotherapy (2017, July 18) retrieved 20 March 2024 from

<https://medicalxpress.com/news/2017-07-scientists-key-cancer-immunotherapy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.