

## Titanium dioxide nanoparticles can exacerbate colitis

July 19 2017



Titanium dioxide is a white pigment used increasingly as food additive E171, for example, in icing, chewing gum or marshmallows. Credit: University of Zurich

Titanium dioxide, one of the most-produced nanoparticles worldwide, is being used increasingly in foodstuffs. When intestinal cells absorb titanium dioxide particles, this leads to increased inflammation and damage to the intestinal mucosa in mice with colitis. Researchers at the University of Zurich recommend that patients with colitis should avoid food containing titanium dioxide particles.



The frequency of inflammatory bowel disease like Crohn's disease and <u>ulcerative colitis</u> has been on the rise in many Western countries for decades. The illnesses are caused by an excessive autoimmune reaction against the intestinal flora. In addition to genetic factors, environmental factors like the Western lifestyle, especially nutrition, play an essential role in the development of these chronic intestinal diseases.

## Use of titanium dioxide nanoparticles in food is increasing

The research of Gerhard Rogler, professor of gastroenterology and hepatology at the University of Zurich, now shows that <u>titanium</u> dioxide nanoparticles can intensify the inflammatory reaction in the bodies of patients with inflammatory intestinal diseases. Titanium dioxide is a white pigment used in medicines, cosmetics and toothpaste and increasingly as food additive E171, for example, in icing, chewing gum or marshmallows. Until now, there have been no restrictions on its use in the food industry.

The scientists led by Gerhard Rogler concentrated their research on a protein complex inside cells: the NLRP3 inflammasome. This protein complex is part of the non-specific immune system, which detects danger signals and then triggers inflammation. If the inflammasome is activated by bacterial components, for example, and the <u>inflammatory</u> reaction plays a vital role in the defense against infective agents. In the same way, NLRP3 can be activated by small inorganic particles – sometimes with negative consequences: If uric acid crystals form in the cells, for example the inflammation leads to gout.

## Titanium dioxide can be absorbed from food in case of intestinal disease



The research team first studied the effect of inorganic titanium dioxide particles in cell cultures. They were able to show that titanium dioxide can penetrate human <u>intestinal epithelial cells</u> and macrophages and accumulate there. The nanoparticles were detected as danger signals by inflammasomes, which triggered the production of inflammatory messengers. In addition, patients with ulcerative colitis, whose intestinal barrier is disrupted, have an increased concentration of titanium dioxide in their blood. "This shows that these particles can be absorbed from food under certain disease conditions," Rogler says.

In a further step, the scientists orally administered titanium dioxide nanoparticles to mice, which serve as a disease model for <u>inflammatory</u> <u>bowel disease</u>. Here, as well, the particles activated the NLRP3 complex, which led to strong intestinal inflammation and greater damage to the <u>intestinal mucosa</u> in the mice. In addition, titanium dioxide crystals accumulated in the animals' spleens.

## **Researchers recommend abstinence from foods containing E171 in case of colitis**

Whether these findings will be confirmed in humans must now be determined in further studies. "Based on our results," Rogler concludes, "patients with an intestinal barrier dysfunction as found in colitis should abstain from foods containing <u>titanium dioxide</u>."

Provided by University of Zurich

Citation: Titanium dioxide nanoparticles can exacerbate colitis (2017, July 19) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2017-07-titanium-dioxide-nanoparticles-exacerbate-colitis.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.