

## **Study: Eating at 'wrong time' affects body weight, circadian rhythms**

July 18 2017



## **Calories and Circadian Rhythms**



Scientists have more evidence that the time of day we eat is more critical to weight loss than how much we eat. A few highlights from the research:

- Scientists tested five groups of mice under different eating regimens. The mice in a reduced calorie plan that ate only during their normal active cycle were the only ones to lose weight, despite eating the same amount as another group fed during their rest time.
- Two groups of mice that were fed during their normal daytime rest cycle remained active at night, suggesting they might have chronic sleep deprivation. This supports the notion that the timing of our eating affects our circadian rhythms and may be the route by which dietary habits impact lifespan.
- Mice on a diet reduced their eating to a very short time period and were unexpectedly active during the day – the normal rest period for the nocturnal animals. These data reveal previously unknown relationships among feeding, metabolism, and behavior.



Illustration by Fernando Agosto. Credit: Fernando Agosto

A new high-precision feeding system for lab mice reinforces the idea that the time of day food is eaten is more critical to weight loss than the amount of calories ingested.

Mice on a reduced calorie plan that ate only during their normal feeding/active cycle were the only ones among five groups to lose weight, despite consuming the same amount as another group fed during their rest time in daylight, according to the study at UT Southwestern Medical Center.

"Translated into human behavior, these studies suggest that dieting will only be effective if calories are consumed during the daytime when we are awake and active. They further suggest that eating at the wrong time at night will not lead to <u>weight loss</u> even when dieting," said Dr. Joseph S. Takahashi, Chairman of Neuroscience at UT Southwestern's Peter O'Donnell Jr. Brain Institute and Investigator with the Howard Hughes Medical Institute.

Using high-tech sensors and automated feeding equipment, scientists developed the feeding system to help answer the difficult question of why calorie-restricted diets improve longevity. They say the new set of tools has already offered fresh insights.

Among the findings published in *Cell Metabolism*, scientists documented how <u>mice</u> on a diet reduced their eating to a very short time period and were unexpectedly active during the day - the normal rest period for the nocturnal animals. These data reveal previously unknown relationships



among feeding, metabolism, and behavior.

"It has been known for decades that caloric restriction prolongs lifespan in animals, but these types of studies are very difficult to conduct because they required manual feeding of subjects over many years. Therefore, shortcuts were taken in order to deal with practical matters such as the normal Monday-to-Friday work week," said Dr. Takahashi, holder of the Loyd B. Sands Distinguished Chair in Neuroscience.

Besides affecting weight, scientists believe the timing of <u>food</u> consumption affects one's circadian rhythms and may be the route by which dietary habits impact lifespan. The study reinforced this notion by testing the day/night cycles of mice under different feeding schedules.

Two groups of mice that were fed at the wrong times during their normal light-dark cycle - those with a 30 percent <u>calorie reduction</u> and others with unlimited food access during the day - remained active at night, suggesting they might have chronic sleep deprivation.

This is an especially important factor for scientists to consider for future research, given that many calorie-reduction studies involve only daytime feeding, which is the wrong time for otherwise nocturnal mice. Without accounting for the timing of food intake, research that examines the effects of calorie reduction on lifespan may be skewed by hidden factors such as lack of sleep and desynchronized circadian rhythms.

Dr. Takahashi said the automated system developed for this latest study helped his team address this issue and other confounding variables that have inhibited previous research, including the varied amounts of food given and how quickly it is consumed.

"Despite the importance of these factors, manipulating when and how much food is available for extended periods has been difficult in past



research. This automated system, which can be scaled up for large and very long longevity studies, provides the means to address open questions about what mechanisms extend lifespan in mammals, and whether it is actually the calorie reduction or the time at which food is consumed that extends lifespan," Dr. Takahashi said.

**More information:** Victoria A. Acosta-Rodríguez et al. Mice under Caloric Restriction Self-Impose a Temporal Restriction of Food Intake as Revealed by an Automated Feeder System, *Cell Metabolism* (2017). DOI: 10.1016/j.cmet.2017.06.007

Provided by UT Southwestern Medical Center

Citation: Study: Eating at 'wrong time' affects body weight, circadian rhythms (2017, July 18) retrieved 4 May 2024 from https://medicalxpress.com/news/2017-07-wrong-affects-body-weight-circadian.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.