


Brain activity may be predictor of stress-related cardiovascular risk

August 23 2017



Credit: copyright American Heart Association

The brain may have a distinctive activity pattern during stressful events

that predicts bodily reactions, such as rises in blood pressure that increase risk for cardiovascular disease, according to new proof-of-concept research in the *Journal of the American Heart Association*, the Open Access Journal of the American Heart Association/American Stroke Association.

The new research, the largest brain-imaging study of cardiovascular stress physiology to date, introduced a brain-based explanation of why stress might influence a person's heart health.

"Psychological stress can influence physical health and risk for [heart disease](#), and there may be biological and brain-based explanations for this influence," said Peter Gianaros, Ph.D., the study's senior author and psychology professor at the University of Pittsburgh in Pennsylvania.

To help understand the brain-body link between stress and health, researchers conducted mental stress tests and monitored [blood pressure](#) and heart rates during an MRI procedure. The mental tests were designed to create a stressful experience by having research volunteers receive negative feedback while they were making time-pressured responses to computer challenges.

Research participants - 157 men and 153 women - were 30 to 51 years old and part of the Pittsburgh Imaging Project, an ongoing study of how the brain influences [cardiovascular disease risk](#). As expected, the mental stress tests increased blood pressure and heart rate in most of the volunteers compared to a non-stress baseline period.

Using machine-learning, researchers determined that a specific brain activity pattern reliably predicted the size of the volunteers' blood pressure and heart rate reactions to the mental stress tests.

The brain areas that were especially predictive of stress-related

cardiovascular reactions included those that determine whether information from the environment is threatening and that control the heart and [blood](#) vessels through the autonomic nervous system.

The study was based on a group of middle-aged healthy adults at low levels of risk for heart disease, so the findings may not be applicable to patients with existing heart disease. Also, brain imaging does not allow researchers to draw conclusions about causality.

"This kind of work is proof-of-concept, but it does suggest that, in the future, brain imaging might be a useful tool to identify people who are at risk for heart disease or who might be more or less suited for different kinds of interventions, specifically those that might be aimed at reducing levels of stress," Gianaros said. "It's the people who show the largest stress-related cardiovascular responses who are at the greatest risk for poor cardiovascular health and understanding the [brain](#) mechanisms for this may help to reduce their risk."

More information: *Journal of the American Heart Association* (2017). [DOI: 10.1161/JAHA.117.006053](https://doi.org/10.1161/JAHA.117.006053)

Provided by American Heart Association

Citation: Brain activity may be predictor of stress-related cardiovascular risk (2017, August 23) retrieved 27 April 2024 from <https://medicalxpress.com/news/2017-08-brain-predictor-stress-related-cardiovascular.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--