

Eating triggers endorphin release in the brain

August 28 2017



Eating both bland (left panel) and delicious (right panel) meals triggered significant opioid release in the brain. Credit: Turku PET Centre

Finnish researchers have revealed how eating stimulates brain's endogenous opioid system to signal pleasure and satiety.

The recent results obtained by researchers from Turku PET Centre have



revealed that eating leads to widespread opioid release in the brain, likely signalling feelings of satiety and pleasure.

Eating a delicious pizza led to significant increase of pleasant feelings, whereas consumption of calorie-matched nutritional drink did not. However, both types of meals induced significant release of <u>endogenous</u> <u>opioids</u> in the brain.

Opioids are associated with pleasure and euphoria. The study revealed that a significant amount of endorphins is released in the entire brain after eating the pizza and, surprisingly, even more are released after the consumption of the tasteless nutritional drink. The magnitude of the opioid release was independent of the pleasure associated with eating. According to the researchers, it is likely that the endogenous opioid system regulates both feelings of pleasure and satiety.

-The opioid system regulates eating and appetite, and we have previously found that its dysfunctions are a hallmark of <u>morbid obesity</u>. The present results suggest that overeating may continuously overstimulate the <u>opioid</u> system, thus directly contributing to development of obesity. These findings open new opportunities for treating overeating and the development of obesity, says Professor Lauri Nummenmaa from Turku PET Centre.

- It was a surprise that endorphins are released in the entire brain and that the nutritional drink had a larger impact. This creates a basis for future research and hopefully we will find ways to study and describe the development and predictors of addiction, obesity and eating disorders, says Researcher, M.D., PhD. Jetro Tuulari.

The study was conducted using <u>positron emission tomography</u> (PET). The participants were injected with a radioactive compound binding to their brain's <u>opioid receptors</u>. Radioactivity in the <u>brain</u> was measured



three times with the PET camera: after a palatable meal (pizza), after a non-palatable meal (liquid meal) and after an overnight fast.

The research was funded by the Academy of Finland and the findings were published in *The Journal of Neuroscience*: http://www.jneurosci.org/content/early/2017/07/26/JNEUROSCI.0976-17.2017

More information: Jetro J. Tuulari et al, Feeding Releases Endogenous Opioids in Humans, *The Journal of Neuroscience* (2017). DOI: 10.1523/JNEUROSCI.0976-17.2017

Provided by University of Turku

Citation: Eating triggers endorphin release in the brain (2017, August 28) retrieved 28 June 2024 from <u>https://medicalxpress.com/news/2017-08-triggers-endorphin-brain.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.