

AAP offers guidance for infectious disease in sports

September 25 2017



(HealthDay)—Participation in organized sports can potentially expose

athletes to infectious diseases, with major risk factors including skin-to-skin contact, environmental exposures and physical trauma, and sharing of equipment, according to a clinical report published online Sept. 25 in *Pediatrics*.

H. Dele Davies, M.D., from the University of Nebraska Medical center in Omaha, and colleagues address the potential for participation in organized sports to expose athletes to [infectious diseases](#).

The researchers found that skin-to-skin contact with athletes who have active skin infections, [environmental exposures](#), and [physical trauma](#) are major risk factors for infection, as well as sharing of equipment and contact with contaminated fomites. Additional risks include close contact, which is intrinsic to team sports, and psychosocial factors associated with adolescence.

"Minimizing risk requires leadership by the organized sports community (including the athlete's primary care provider) and depends on outlining key hygiene behaviors, recognition, diagnosis, and treatment of common sports-related infections, and the implementation of preventive interventions," the authors write.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: AAP offers guidance for infectious disease in sports (2017, September 25) retrieved 18 April 2024 from <https://medicalxpress.com/news/2017-09-aap-guidance-infectious-disease-sports.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.