

Researcher advocates removal of lead from hair dye

September 6 2017, by Mary Cross

Howard W. Mielke, a Tulane research professor in the Department of Pharmacology at Tulane School of Medicine, is raising awareness of toxins within hair dye. This year, Mielke teamed up with fellow health advocates, the Environmental Defense Fund and Earthjustice, a San Francisco–based nonprofit, to petition the Food and Drug Administration (FDA) to ban lead acetate as an ingredient used in hair coloring products.

In 1976, Mielke began investigating the environmental effects of lead with a Baltimore-based project that measured [lead levels](#) in garden soil.

"This project continued in New Orleans, where I've studied the connection between [lead dust](#) in soil and children's health since 1989," he said.

However, a shopping trip to a drugstore with his daughter would peak a new interest in toxins found over the counter.

"My daughter picked up a package of Grecian Formula and put it into my hands, saying, 'Dad, you need to use this,'" recalled Mielke.

"I looked at the label and said, 'Beverly, this contains lead acetate and isn't safe.' Then Beverly retorted, 'Oh Dad, everything you touch turns to lead!'"

Mielke later returned to the store and purchased all of the available hair

coloring products containing lead acetate—the active ingredient used within progressive hair coloring to darken grey hair. He brought the products to his laboratory for testing.

Within the human body, lead functions as a pollutant affecting the nervous system. After absorption through the skin, lead acetate moves through the lymphatic system, Mielke explained.

When applying the dye, the user also risks contaminating household areas and any items being touched, such as sinks, countertops and cups.

The FDA approved the use of lead acetate in hair products in 1980, but Mielke said other countries have already banned this type of product.

In a 1997 study, he concluded that dye samples containing lead acetate displayed lead levels between 2,300 and 6,000 parts per million.

"After I published my work, I received many calls and reports from people who had [chronic health problems](#) related to [hair](#) coloring agents they were using. One of the worst outcomes is mental deterioration," said Mielke.

The FDA is currently revisiting its 1980 decision that approved the use of lead [acetate](#) in dye.

Provided by Tulane University

Citation: Researcher advocates removal of lead from hair dye (2017, September 6) retrieved 17 April 2024 from <https://medicalxpress.com/news/2017-09-advocates-hair-dye.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.