


Promising clinical trial results could give doctors a new tool against drug-resistant strains of malaria parasite

September 13 2017



Dr. Donald Krogstad, senior author and professor of tropical medicine at Tulane University School of Public Health and Tropical Medicine. Credit: Tulane University/Paula Burch-Celentano

Tulane University researchers have developed a new drug that is effective against non-severe cases of malaria, according to results from an FDA-supervised clinical trial published in the latest issue of *The Lancet Infectious Diseases*.

The results are significant as [public health](#) experts have long warned that the parasite responsible for most [malaria](#) cases, *Plasmodium falciparum*, is developing resistance to widely used treatments. New medications are needed to build up secondary defenses against [drug](#)-resistant strains of the parasite.

The drug, called AQ-13, was able to clear the parasite responsible for the disease within a week, matching the effectiveness of the most widely used treatment regimen.

"The clinical trial results are extraordinarily encouraging," said Dr. Donald Krogstad, senior author and professor of tropical medicine at Tulane University School of Public Health and Tropical Medicine. "Compared to the current first-line recommendation for treatment of malaria, the new drug comes out very well."

Mosquitoes infected by a parasite spread malaria, causing more than 200 million illnesses across the globe and more than 400,000 deaths annually. For decades, chloroquine was used to treat malaria until *Plasmodium falciparum* developed resistance. Now, a drug combination—artemether and lumefantrine—is the primary treatment for malaria although resistance is also developing to the drug combination in some countries.

Researchers recruited 66 adult men in Mali with uncomplicated malaria, which is defined as malaria that isn't life threatening. Half were treated with AQ-13 and the other half received artemether and lumefantrine. Both drug groups had similar cure rates. However, five participants in AQ-13 group left the study or were lost to follow-up and two

participants in the artemether/lumefantrine group had late treatment failures with recurrence of their original infections.

Researchers hope to expand testing of the drug to more participants, including women and children, before it can be widely recommended as a new treatment. Krogstad said that the same biotechnology that helped the team develop the new drug has also identified similar drugs that also hold promise against drug-resistant [parasites](#).

"The potential long-term implications are bigger than one drug," he said. "The conceptual step here is that if you understand the resistance well enough, you may be actually be able to develop others as well. We synthesized over 200 analogues and, of those, 66 worked against the resistant parasites."

Provided by Tulane University

Citation: Promising clinical trial results could give doctors a new tool against drug-resistant strains of malaria parasite (2017, September 13) retrieved 18 April 2024 from <https://medicalxpress.com/news/2017-09-clinical-trial-results-doctors-tool.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--