

CYP2C9 variants linked to clinical events in VTE

September 5 2017



(HealthDay)—For elderly patients treated with vitamin K antagonists for

venous thromboembolism (VTE), *CYP2C9* variants are associated with any clinical event, according to a study published online Aug. 22 in the *Journal of Thrombosis and Haemostasis*.

Michael Nagler, M.D., from Bern University Hospital in Switzerland, and colleagues examined the correlation between *CYP2C9/VKORC1* variants and long-term clinical outcomes among 774 [elderly patients](#) treated with vitamin K antagonists for VTE.

Overall, 78 percent of the [patients](#) had a *CYP2C9* or *VKORC1* variant. The researchers found that 43.2 percent of patients had any clinical event, 15.4 percent died, 12.9 and 21.6 percent had major and non-major bleeding, respectively, and 12.9 percent had recurrent VTE. After adjustment there was a correlation for *CYP2C9* variants with any clinical event (hazard ratio, 1.34; 95 percent confidence interval, 1.08 to 1.66), death (hazard ratio, 1.74; 95 percent confidence interval, 1.19 to 2.52), and clinically relevant non-major bleeding (subhazard ratio, 1.39; 95 percent confidence interval, 1.02 to 1.89), but not with major bleeding (subhazard ratio, 1.03; 95 percent confidence interval, 0.69 to 1.55) or recurrent VTE (subhazard ratio, 0.95; 95 percent [confidence](#) interval, 0.62 to 1.44). Slightly lower anticoagulation quality was seen for patients with genetic variants.

"*CYP2C9* was associated with long-term overall mortality and non-major bleeding," the authors write. "While genetic variants were associated with a slightly lower anticoagulation quality, there was no relationship between genetic variants and major bleeding or VTE recurrence."

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: CYP2C9 variants linked to clinical events in VTE (2017, September 5) retrieved 8 May 2024 from <https://medicalxpress.com/news/2017-09-cyp2c9-variants-linked-clinical-events.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.