


New delayed-release stimulant improves morning ADHD symptoms and all-day functioning

September 25 2017



Credit: Mary Ann Liebert, Inc., publishers

A phase 3 study of children ages 6-12 years with attention deficit/hyperactivity disorder (ADHD) has shown that a delayed-release, long-acting formulation of the stimulant methylphenidate, when taken in the evening, led to significant improvement in ADHD symptoms and functional impairment first thing the next morning, compared to a placebo. Children taking the delayed-release stimulant did not have to wait for a morning dose to take effect and also benefited from improved symptoms later in the afternoon and evening, according to the study results published in *Journal of Child and Adolescent Psychopharmacology*.

The article entitled "Efficacy and Safety of HLD200, Delayed-Release and Extended-Release Methylphenidate, in Children with Attention-Deficit/Hyperactivity Disorder" is coauthored by Steven Pliszka, MD, from The University of Texas Health Science Center at San Antonio and colleagues from Massachusetts General Hospital (Boston, MA), Westside Medical Family Practice (Clinton, UT), University of Tennessee Health Science Center (Memphis, TN), Meridien Research (Maitland and Bradenton, FL), Children's Development Center (Winter Park, FL), Ironshore Pharmaceuticals & Development (Grand Cayman, Cayman Islands), and Mount Sinai Medical Center (New York, NY), on behalf of the HLD200-108 Study Group.

The drug formulation, which consists of two layers of microbeads with an inner drug-loaded core, delays release of the active ingredient for 8-10 hours and then provides controlled extended release designed to cover the early morning into the evening. The medication was well tolerated, with the main adverse effects of appetite suppression and insomnia being those commonly reported for other formulations of methylphenidate.

"Developing new formulations of effective medications for patients with ADHD improves the lives of children with the disorder," says Harold S. Koplewicz, MD, Editor-in-Chief of the *Journal of Child and Adolescent Psychopharmacology* and President of the Child Mind Institute in New York.

More information: Steven R. Pliszka et al, Efficacy and Safety of HLD200, Delayed-Release and Extended-Release Methylphenidate, in Children with Attention-Deficit/Hyperactivity Disorder, *Journal of Child and Adolescent Psychopharmacology* (2017). DOI: [10.1089/cap.2017.0084](https://doi.org/10.1089/cap.2017.0084)

Provided by Mary Ann Liebert, Inc

Citation: New delayed-release stimulant improves morning ADHD symptoms and all-day functioning (2017, September 25) retrieved 19 April 2024 from <https://medicalxpress.com/news/2017-09-delayed-release-morning-adhd-symptoms-all-day.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--