


Endometriosis increases risk of complications during pregnancy and delivery

September 13 2017



Pregnancy test. Credit: public domain

A new meta-analysis shows that pregnant women with endometriosis are at greater risk for a host of complications during pregnancy and at delivery, including preterm birth and cesarean section. The study was published in the journal *Fertility and Sterility*.

"It's important that women with a history of endometriosis, and obstetricians caring for them, are aware of this association between prior endometriosis and higher risks of miscarriage, preterm birth, [placenta previa](#), cesarean delivery and a baby small for [gestational age](#)," Vincenzo Berghella, M.D., Professor of Gynecology and Director of Maternal

Fetal Medicine in the Department of Obstetrics and Gynecology at the Sidney Kimmel Medical College at Thomas Jefferson University. "These pregnancies deserve closer monitoring for these complications."

Endometriosis affects about 11 percent of women in the United States, is often diagnosed in the early reproductive years and is associated with endometrial tissue that travels and lodges in other parts of the body. Some of the symptoms include dagger-like abdominal pain, infertility and painful intercourse.

"Endometriosis is known to alter a woman's physiology in a way that could interfere with a number of stages of pregnancy," says Berghella. "From causing inflammation at the endometrium, to resisting the action of progesterone during implantation and throughout the pregnancy, there are a number of ways that endometriosis may affect the normal course of pregnancy."

Twenty four studies were included in the analysis comprising over a million women. The results show that women had a higher risk of [preterm birth](#), miscarriage, cesarean delivery and placenta previa. The study also showed that endometriosis was associated with birth of infants who were small for their gestational age. There was no association, however, between [endometriosis](#) and gestational hypertension or preeclampsia.

"Prior studies looking at this issue have reported conflicting results," says Berghella. "Studies like ours help clarify the findings by pooling the data from many studies to give the field a more conclusive answer to a debated research question. The collective data is stronger than any single study alone and often helps shape opinion in the field."

More information: Fabrizio Zullo et al, Endometriosis and obstetrics complications: a systematic review and meta-analysis, *Fertility and*

Sterility (2017). [DOI: 10.1016/j.fertnstert.2017.07.019](https://doi.org/10.1016/j.fertnstert.2017.07.019)

Provided by Thomas Jefferson University

Citation: Endometriosis increases risk of complications during pregnancy and delivery (2017, September 13) retrieved 17 May 2024 from
<https://medicalxpress.com/news/2017-09-endometriosis-complications-pregnancy-delivery.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--