

# Jet lag drug may aid cancer patients

September 15 2017

---

Painful side effects from cancer medicines could be tackled with a drug that eases the effects of jet lag, research suggests.

The drug – known as melatonin – appeared to prevent pain caused by [chemotherapy](#) damage to nerves.

It blocked harmful effects on nerve health, the study with rats shows.

Experts say the findings help scientists understand more about ways to limit painful side effects of chemotherapy.

## Chemotherapy pain

Scientists from the Universities of Edinburgh and Aberdeen focused on a common condition known as chemotherapy-induced neuropathic pain (CINP), which causes tingling and pain sensation to touch and cold temperatures that can be severe enough to cause [patients](#) to limit their [chemotherapy treatment](#).

CINP affects almost 70% of patients undergoing chemotherapy and can have severe impact on quality of life.

Everyday activities, including fastening buttons or walking barefoot, can cause pain that can persist even after the cancer is cured, meaning that some patients are unable to return to work or able to carry out household tasks.

"This is an area of real unmet need, where new therapies are urgently required. We are actively exploring an early-phase clinical study to see if these exciting laboratory findings might translate to direct benefit for patients undergoing chemotherapy," says Professor Lesley Colvin.

## **Prevention, not cure**

The study showed that melatonin given prior to chemotherapy limited the damaging effect on [nerve cells](#) and the development of pain symptoms.

Melatonin did not alleviate pain when CINP had already developed, suggesting that its potential benefits could be as prevention rather than cure.

Importantly, melatonin treatment did not interfere with the beneficial anticancer effects of chemotherapy in human breast and ovarian cancer [cells](#).

"These findings are very exciting and suggest that melatonin could prevent CINP by protecting nerve cell mitochondria. Our next steps will be to further test this theory by looking at the effect of melatonin in other pain conditions that also involve mitochondrial damage," says Dr Carole Torsney.

## **Mitochondria**

Findings also showed that melatonin reduced damage caused by chemotherapy to vital parts of [nerve](#) cells known as mitochondria.

Experts say reducing harm to these cell energy centres could hold the key to preventing CINP.

## Melatonin

Melatonin is a naturally occurring hormone that controls sleeping patterns, although synthetic versions can be produced in the laboratory. Melatonin can be used to alleviate sleep disturbance but is not available in the UK without prescription.

"These results are promising, especially as melatonin treatment is known to be safe in other conditions. However, more work will need to be done before we know if [melatonin](#) will help prevent [pain](#) in cancer patients undergoing chemotherapy," says professor Helen Galley.

The study was published in the *Journal of Pineal Research*.

**More information:** Helen F. Galley et al. Melatonin limits paclitaxel-induced mitochondrial dysfunction in vitro and protects against paclitaxel-induced neuropathic pain in the rat, *Journal of Pineal Research* (2017). [DOI: 10.1111/jpi.12444](https://doi.org/10.1111/jpi.12444)

Provided by University of Edinburgh

Citation: Jet lag drug may aid cancer patients (2017, September 15) retrieved 2 May 2024 from <https://medicalxpress.com/news/2017-09-jet-lag-drug-aid-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.