

# Study shows mould in bedrooms causes asthma in young children

September 7 2017

---



Dr Caroline Shorter. Credit: University of Otago

Researchers at the University of Otago, Wellington (UOW) have shown that leaking and mouldy homes may lead to the development of a first attack of asthma in young children living in them.

"We have known for a long time that damp and mould will make asthma worse if you already have it but this is one of the first studies to show that mould may be actually causing asthma to develop," says the study's lead author Dr Caroline Shorter from the Department of Medicine at UOW.

"The study also found the more mould, the more cases of asthma," she says.

The major study, published today in the international journal Indoor Air, was funded by the Health Research Council of New Zealand and carried out by researchers from UOW's He Kainga Oranga, Housing and Health Research Programme.

The study investigated the homes of 150 [children](#) who had visited their GPs for their first prescribed asthma medication, and compared them to the homes of 300 matched children who had never wheezed.

"We found that mould and leaks were more likely to be found in the bedrooms and homes of children who had just started wheezing compared to the children who had never wheezed," says Dr Shorter.

"The amount of mould present in the bedroom made a difference: the more mould, the greater the risk that children would start wheezing."

"This is particularly concerning because we know from surveys carried out by the Building Research Association of New Zealand and others, that around half of all New Zealanders have mould in their homes," says Dr Shorter, who is a research fellow for He Kainga Oranga, Housing and Health Research.

"We also have very high rates of asthma in New Zealand with 1 in 6 adults and 1 in 4 children reported to suffer from the condition.

Worldwide prevalence of indoor mould is estimated at 10 – 30 per cent of homes, depending on climate and [asthma](#) rates are 1 in 20.

"We urgently need to improve the quality of our children's home environments".

Dr Shorter's research shows that it is important for dry homes to have 'the basics' sorted, for example;

- leaks repaired
- not having water pooling under the house
- good insulation
- working extractor fans
- secure windows that can be opened
- ways of heating the entire [home](#)

"We need to reduce moisture in our homes by using extractor fans, not drying clothes inside, and opening windows often to improve ventilation, even for just 10 minutes a day. Even with these measures mould can still grow, so we also need to frequently check for mould and remove it when we see it, particularly around windows, where condensation can increase mould growth," she says.

"The next stage of our research is to try and look in more detail at what types of mould might be important and what additional prevention we might use to keep mould at a minimum."

Provided by University of Otago

Citation: Study shows mould in bedrooms causes asthma in young children (2017, September 7) retrieved 27 April 2024 from

<https://medicalxpress.com/news/2017-09-mould-bedrooms-asthma-young-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.