


Treatment of buccinator with botox is safe, effective

September 28 2017



(HealthDay)—Treatment of the buccinator muscle with botulinum toxin



is safe and effective, and three commercially available botulinum toxin neuromodulators are similar for treatment of facial synkinesis, according to two studies published online Sept. 28 in *JAMA Facial Plastic Surgery*.

Priyesh N. Patel, M.D., from Vanderbilt University Medical Center in Nashville, Tennessee, and colleagues conducted a prospective cohort study involving 23 patients who underwent treatment for facial synkinesis with botulinum toxin over multiple treatment cycles during a one-year period. The researchers found that these patients presented for 82 treatment visits, 53.6 percent of which involved buccinator injections. Compared with pre-botulinum scores, all patients had improved post-treatment Synkinesis Assessment Questionnaire (SAQ) scores. Buccinator injections resulted in lower total postinjection SAQ scores and greater differences in prebotox and postbotox injection outcomes compared with treatment cycles in which the buccinator was not addressed, although the differences were not significant.

In a randomized trial, Andrew J. Thomas, M.D., from the University of Utah School of Medicine in Salt Lake City, and colleagues examined the effectiveness of onabotulinumtoxinA, abobotulinumtoxinA, or incobotulinumtoxinA injected into synkinetic areas of the face in 28 patients receiving 38 treatments. The researchers found that the mean SAQ score improvement was 41, 42, and 17 percent for the onabotulinumtoxinA, abobotulinumtoxinA, and incobotulinumtoxinA groups, respectively, at four weeks. At one and two weeks after treatment, there were no significant differences in the SAQ score improvements among the three groups.

"AbobotulinumtoxinA had similar efficacy to onabotulinumtoxinA and incobotulinumtoxinA for the management of facial synkinesis up to 4 weeks after <u>treatment</u>," Thomas and colleagues write.

More information: Abstract/Full Text (subscription or payment may



be required)—Patel
Abstract/Full Text—Thomas

Copyright © 2017 HealthDay. All rights reserved.

Citation: Treatment of buccinator with botox is safe, effective (2017, September 28) retrieved 6 May 2024 from https://medicalxpress.com/news/2017-09-treatment-buccinator-botox-safe-effective.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.