

Zika, cobalamin C deficiency tied to similar retinal problems

September 8 2017



(HealthDay)—Retinal maldevelopment associated with congenital Zika

syndrome (CZS) is similar to the maldevelopment seen with cobalamin C (cblC) deficiency, according to a study published online Sept. 7 in *JAMA Ophthalmology*.

Tomas S. Aleman, M.D., from the University of Pennsylvania in Philadelphia, and colleagues quantified the microstructural changes of the retina in eight infants with CZS and compared these changes to those associated with cblC deficiency in eight children.

The researchers found that all eight patients with CZS had foveal abnormalities in the analyzed eyes (eight eyes), including discontinuities of the ellipsoid zone, thinning of the central retina with increased backscatter, and severe structural disorganization. Three eyes showed macular pseudocolobomas. In seven of eight eyes with a normal photoreceptor layer, pericentral [retina](#) with normal lamination showed a thinned (

Citation: Zika, cobalamin C deficiency tied to similar retinal problems (2017, September 8) retrieved 13 March 2024 from <https://medicalxpress.com/news/2017-09-zika-cobalamin-deficiency-tied-similar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
