

Artificial intelligence: Is this the future of early cancer detection?

October 30 2017

A new endoscopic system powered by artificial intelligence (AI) has today been shown to automatically identify colorectal adenomas during colonoscopy. The system, developed in Japan, has recently been tested in one of the first prospective trials of AI-assisted endoscopy in a clinical setting, with the results presented today at the 25th UEG Week in Barcelona, Spain.

AI-assisted endocytoscopy - how it works:

The new computer-aided diagnostic system uses an endocytoscopic image - a 500-fold magnified view of a colorectal polyp - to analyse approximately 300 features of the polyp after applying narrow-band imaging (NBI) mode or staining with methylene blue. The system compares the features of each polyp against more than 30,000 endocytoscopic images that were used for machine learning, allowing it to predict the lesion pathology in less than a second. Preliminary studies demonstrated the feasibility of using such a system to classify colorectal [polyps](#), however, until today, no prospective studies have been reported.

Prospective study in routine practice:

The prospective study, led by Dr Yuichi Mori from Showa University in Yokohama, Japan, involved 250 men and women in whom colorectal polyps had been detected using endocytoscopy. The AI-assisted system was used to predict the pathology of each polyp and those predictions

were compared with the pathological report obtained from the final resected specimens. Overall, 306 polyps were assessed real-time by using the AI-assisted system, providing a sensitivity of 94%, specificity of 79%, accuracy of 86%, and positive and negative predictive values of 79% and 93% respectively, in identifying neoplastic changes.

Speaking at the Opening Plenary at UEG Week, Dr Mori explained; "The most remarkable breakthrough with this system is that artificial intelligence enables real-time optical biopsy of colorectal polyps during colonoscopy, regardless of the endoscopists' skill. This allows the complete resection of [adenomatous polyps](#) and prevents unnecessary polypectomy of non-neoplastic polyps."

"We believe these results are acceptable for clinical application and our immediate goal is to obtain regulatory approval for the diagnostic system" added Dr Mori.

Moving forwards, the research team is now undertaking a multicentre study for this purpose and the team are also working on developing an automatic polyp detection system. "Precise on-site identification of adenomas during colonoscopy contributes to the complete resection of neoplastic lesions" said Dr Mori. "This is thought to decrease the risk of colorectal cancer and, ultimately, cancer-related death."

More information: 1. Mori Y, Kudo S-E, Misawa M et al. Diagnostic yield of "artificial intelligence"-assisted endocytoscopy for colorectal polyps: a prospective study. Presented at UEG Week Barcelona 2017.

2. Mori Y, Kudo SE, Chiu PW et al. Impact of an automated system for endocytoscopic diagnosis of small colorectal lesions: an international web-based study. *Endoscopy* 2016;48(12):1110-18.

3. Misawa M, Kudo SE, Mori Y, et al. Characterization of colorectal

lesions using a computer-aided diagnostic system for narrow-band imaging endocytoscopy. *Gastroenterology* 2016;150(7):1531-32.

Provided by United European Gastroenterology

Citation: Artificial intelligence: Is this the future of early cancer detection? (2017, October 30) retrieved 25 April 2024 from <https://medicalxpress.com/news/2017-10-artificial-intelligence-future-early-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.