

Key stakeholders discuss how to make EHRs more usable

October 19 2017



(HealthDay)—Key stakeholders and physicians discussed electronic

health record (EHR) usability and optimization in the American Medical Association Running Your Practice Community.

The discussion was led by panelists with a variety of medical backgrounds and covered issues including the impact of implementation decisions on EHR usability, EHR [optimization](#), and rules for releasing [test results](#) to patients.

In terms of usability, the use of third-party consultation was raised, with consultants often engaged to help with configuration and training relating to EHR use, resulting in differently configured tools across the same underlying EHR product; other health systems invest in informatics teams in order to create a best-practice workflow for each specialty. Strategies for EHR optimization vary between EHR systems and within organizations; use of shadowing may be promising. In addition, there is hope that vendors will continue to improve system [usability](#), as currently, clinical staff need to assist with charting and pending orders or do some of the EHR work as part of an advanced team-based care model.

In terms of releasing test results, some practices released lab results immediately when complete, which has increased patient satisfaction. Despite concerns, most practices seem to agree that immediate release is beneficial, although not all practices have been able to gain consensus for immediate release.

More information: [More Information](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Key stakeholders discuss how to make EHRs more usable (2017, October 19) retrieved 26 April 2024 from <https://medicalxpress.com/news/2017-10-key-stakeholders-discuss-ehrs-usable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.